



## PRODUCT CATALOG



EGO Power+ Batteries & Chargers	4
EGO Power+ Riding Mower	6
EGO Power+ Mower	12
EGO Power+ String Trimmer	18
EGO Power+ Blower	22
EGO Power+ Backpack Blower	26
EGO Power+ Multi-Head	28
EGO Power+ Chain Saw	34
EGO Power+ Pole Saw	38

EGO Power+ Hedge Trimmer	40
EGO Power+ Auger	42
EGO Power+ Cleaning	44
EGO Power+ Lifestyle	48
EGO Power+ Mini Bike	53
EGO Power+ Portable Power	54
EGO Power+ Snowblower	56
EGO Power+ ACCESSORIES	63
EGO Commercial Series	69



## **#1 RATED BRAND**

EGO is the #1 rated brand in cordless outdoor power according to industry experts and purchasers based on power, performance, durability, and value.

## **POWER AND PERFORMANCE OF GAS**

All EGO tools deliver or exceed the power and performance of gas—without the noise, fuss, or fumes—guaranteeing maximum power, longer run times, and industry-leading recharge times.

## INDUSTRY'S MOST ADVANCED TECHNOLOGY

Our patented ARC Lithium<sup>™</sup> technology is the most advanced in the outdoor power equipment industry with its shock-resistant design, intelligent power management, innovative ARC-shaped design, and keep-cool cell technology.

## INNOVATION

No matter which EGO tool you use, you can expect groundbreaking innovation that solves for pain points, such as the world's first LINE IQ<sup>™</sup> technology, world's first platform-compatible zero-turn riding mower, and world's first auto tensioning technology.





## THE MOST ADVANCED **TECHNOLOGY IN** THE INDUSTRY

## **BETTER PERFORMANCE IS BUILT IN**


No matter which EGO battery you choose, you'll get:

- Protection from drops and the elements, thanks to our shock-resistant design
- Our patented power management system to maximize power and runtime
- Revolutionary phase-change material that keeps cells running cool
- An integrated fuel gauge that shows you how much power is left
- A three-year limited warranty\*

\*Up to 5 depending on model. See egopowerplus.com for details.







## **NOT ALL VOLTS ARE CREATED EQUAL**

## VOLTAGE ≠ PERFORMANCE

**BA4480T** 

448Wh

**8.0Ah BATTERY** 

Performance of a battery is determined by a combination of ENERGY(Wh) and POWER(W)

(V)

CAPACITY x VOLTAGE = ENERGY (Ah) (V) (Wh)

**VOLTAGE x CURRENT = POWER** (A) (W)

BA5600T

560Wh

**10.0Ah BATTERY** 

**BA6720T 12.0Ah BATTERY** 672Wh




BA6720T-2 12.0Ah 2-Pack (1,344 total Wh)

## FROM EMPTY TO FULLY CHARGED, In Just 30 Min

With a range of battery sizes available from 2.5Ah to 12Ah, you can choose the power you need. When it's time to recharge, the EGO POWER+ Turbo Charger is among the fastest on the market. The intelligent battery control system constantly monitors each cell's charge and temperature to deliver the most efficient and quickest charge.

Plus, the fan-cooling system allows the battery to start charging sooner and finish faster. As a result, the time it takes to refuel the battery is often less than the run time you get from a full charge. So you'll always have a battery ready for all-day power and run time.



#### CH5500

#### **550W RAPID CHARGER**

- Fan-Cooled
- Intelligent Charging Technology
- Integrated LED
- Charging Indicator

#### CH2800D 280W DUAL PORT CHARGER

- Fan-Cooled
- Intelligent Charging Technology
- Sequential Charging
- with Dual Ports • Charge 2 EGO
- Batteries in Series



#### CH7000 700W TURBO CHARGER

- Fan-Cooled
- Intelligent Charging Technology
   Integrated LED



#### CH3200 320W CHARGER

- Fan-CooledIntelligent Charging
- Technology
- Integrated LED
  Charging Indicator

#### CH2100 210W STANDARD CHARGER

- Fan-Cooled
- Intelligent Charging
- Technology
- Integrated LED Charging Indicator



		BA1400T	BA2242T	BA2800T	BA3360T	BA4200T	BA4480T	BA5600T	BA6720T
BATTERY		2.5Ah	4.0Ah	5.0Ah	6.0Ah	7.5Ah	8.0Ah	10.0Ah	12.0Ah
CAPACITY		140Wh	224Wh	280Wh	336Wh	420Wh	448Wh	560Wh	672Wh
	CH2100	<b>50 MINUTES</b>	<b>80 MINUTES</b>	100 MINUTES	120 MINUTES	145 MINUTES	160 MINUTES	190 MINUTES	230 MINUTES
	CH3200	<b>35 MINUTES</b>	<b>55 MINUTES</b>	70 MINUTES	<b>80 MINUTES</b>	100 MINUTES	105 MINUTES	130 MINUTES	160 MINUTES
CHARGE Times	CH2800D	40 MINUTES (2 BATTERIES)	60 MINUTES (2 BATTERIES)	80 MINUTES (2 BATTERIES)	90 MINUTES (2 BATTERIES)	120 MINUTES (2 BATTERIES)	130 MINUTES (2 BATTERIES)	160 MINUTES (2 BATTERIES)	180 MINUTES (2 Batteries)
	CH5500	<b>30 MINUTES</b>	<b>30 MINUTES</b>	40 MINUTES	<b>45 MINUTES</b>	60 MINUTES	65 MINUTES	70 MINUTES	90 MINUTES
	CH7000	<b>30 MINUTES</b>	<b>25 MINUTES</b>	<b>30 MINUTES</b>	<b>35 MINUTES</b>	<b>45 MINUTES</b>	<b>50 MINUTES</b>	60 MINUTES	75 MINUTES
WEIGHT		2.8 LBS	4.7 LBS	4.8 LBS	6.2 LBS	6.3 LBS	6.7 LBS	7.4 LBS	7.9 LBS
WARRANTY		3 YEARS	3 YEARS	5 YEARS	5 YEARS				









ONE BATTERY POWERS



COMBINES THE POWER OF TWO OR MORE EGO ARC LITHIUM™ BATTERIES

## ZT5207L Power+ 52" Z6 Zero Turn Riding Mower



#### COMBINES THE POWER OF TWO OR MORE EGO ARC LITHIUM™ BATTERIES



## ZT4204L Power+ 42" Z6 Zero Turn Riding Mower



	ZT5207L	ZT4205S	ZT4204L
BATTERY / CHARGER	(6) 12.0Ah / 1600W	(4) 12.0Ah / 1600W	(4) 10.0Ah / 1600W
HORSEPOWER	25 HP	22 HP	22 HP
WATTS / WH	20,000 / 4,032	13,440 / 2,688	17,920 / 2,240
DECK WIDTH	52 INCH FABRICATED	42 INCH STAMPED	42 INCH STAMPED
CUT AREA	UP TO 4 ACRES	UP TO 2.5 ACRES	UP TO 2 ACRES
CUT-HEIGHTS	10: 1.5-4.5"	10: 1.5-4.5"	10: 1.5-4.5"
STEERING	LAP BARS	E-STEER™	LAP BARS
WEATHER RESISTANT RATING	IPX4	IPX4	IPX4
WARRANTY	5-YEAR TOOL 5-YEAR BATTERY	5-YEAR TOOL 5-YEAR BATTERY	5-YEAR TOOL 5-YEAR BATTERY



# EXCEEDS THE POWER OF GAS



COMBINES THE Power of Two or more Ego arc lithium™ Batteries

POWER

 BATTERY / CHARGER
 (6) 6.0Ah / 700W

 HORSEPOWER
 22 HP

 WATTS / WH
 20,160 / 2,016

 DECK WIDTH
 42 INCH STAMPED

 CUT AREA
 UP TO 1.5 ACRES

 CUT-HEIGHTS
 12: 1.5-4.5"

 WARRANTY
 5/YEAR TOOL, 5-YEAR BATTERY



# YOU'VE NEVER SEEN BATTERY POWER LIKE THIS

GO







LM2150SP Battery and charger not included. LM2156SP-2 Includes (2) 10.0Ah batteries and 700W charger.

## LM2135SP



## LM2133 POWER+ 21" SELECT CUT™ MOWER



Additional SKU Configurations: LM2130 Battery and charger not included. LM2135 Includes 7.5Ah battery and 550W charger.

## LM2125SP Power+ 21" Self-Propelled Mower With Touch Drive™ Self-Propelled Technology



Additional SKU Configurations: LM2122SP-2 Includes (2) 4.0Ah batteries and 550W charger. LM2123SP-2 Includes 4.0Ah and 6.0Ah battery and 550W charger.



Additional SKU Configurations: LM2112 Includes 4.0Ah battery and 320W charger.

## LM2114SP Power+ 21" Self-Propelled Mower



Additional SKU Configurations: LM2110SP Battery and charger not included.



## **MOWER COMPARISON CHART**

	LM2206SP	LM2156SP	LM2142SP	LM2135SP	LM2133	LM2125SP	LM2114SP	LM2114
BATTERY / CHARGER	10.0Ah / 700W	10.0Ah / 700W	(2) 5.0Ah / 550W	7.5Ah / 550W	5.0Ah / 550W	7.5Ah / 550W	6.0Ah / 320W	6.0Ah / 320W
CUTTING TORQUE	MAX 11.1 FT-LBS	8.3 FT-LBS	8.3 FT-LBS	7.0 FT-LBS	7.0 FT-LBS	6.0 FT-LBS	6.0 FT-LBS	6.0 FT-LBS
RUN TIME*	70 MINUTES	75 MINUTES	80 MINUTES	60 MINUTES	<b>45 MINUTES</b>	60 MINUTES	50 MINUTES	55 MINUTES
DECK WIDTH	22 INCHES	21 INCHES						
SELF-PROPELLED	YES	YES	YES	YES	NO	YES	YES	NO
CUTTING SPEED CONTROL	MULTI SPEED Settings	AUTO SENSING Variable speed**						
DECK MATERIAL	CAST ALUMINUM	POLY						
NO-LOAD SPEED	3,100 RPM	2,800 RPM						
CUT-HEIGHT SETTINGS	8 SETTINGS (1"-4")	8 SETTINGS (1"-4")	6 SETTINGS (1.5"-4")	8 SETTINGS (1"-4")	8 SETTINGS (1"-4")	7 SETTINGS (1.25"-4")	7 SETTINGS (1.25"-4")	7 SETTINGS (1.25"-4")
BAG SIZE	2.5 BUSHEL	2.0 BUSHEL						
MULCHING	YES; W/ PLUG							
SELECT CUT™ COMPATIBLE	YES	YES	NO	YES	YES	NO	NO	NO
VERTICAL STORAGE	YES							
WEIGHT WITHOUT BATTERY	83.8 LBS	54.5 LBS	55.8 LBS	54.5 LBS	49.4 LBS	51.1 LBS	50.9 LBS	45.2 LBS
WEATHER RESISTANT RATING	IPX4							
WARRANTY	5-YEAR TOOL 5-YEAR BATTERY***	5-YEAR TOOL 5-YEAR BATTERY***	5-YEAR TOOL 3-YEAR BATTERY					

\*Run time may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.

\*\*Auto Sensing Variable Speed delivers optimal cutting speed to maximize battery run time while maintaining grass cutting performance.

\*\*\*With registration, lifetime warranty on the deck



## SELECT CUT™ MULTI-BLADE SYSTEM

The Select Cut<sup>™</sup> Multi-Blade Cutting System is equipped with three interchangeable lower blades: the Mulching Blade, High Lift Bagging Blade, and Extended Runtime Blade. The Mulching Blade comes installed on the lawn mower and is ideal for weekly mulching, giving you the mulching quality expected from a high-end gas lawn mower. The High Lift Bagging Blade provides extra suction ideal for bagging, leaving your yard free of clippings. The Extended Runtime Blade provides an optimal balance of cut quality and runtime for all around performance. All three blades can be used interchangeably based on your desired cut. The Upper Blade is used in combination with the lower blade chosen to slice the grass into fine fragments, greatly enhancing cutting performance with all grass types.

## TOUCH DRIVE™ TECHNOLOGY

Engage the self-propel function with the touch of your palm, change the speed at the same time with the scroll of a dial.




## WORLD'S MOST INNOVATIVE STRING TRIMMER ASSORTMENT



Additional SKU Configurations: ST1620T Battery and charger not included.





## **ST1502SA**





## PATENTED POWERLOAD™ TECHNOLOGY

## POWERLOAD™ FEED THE LINE PUSH A BUTTON

**STRING TRIMMER COMPARISON CHART** 



Insert the line into the eyelet and push the line through until the end comes out of the opposite eyelet.



STEP 2

Pull the line from the other side until equal lengths of the line appear on both sides of the trimmer head.



**STEP 3** Press and hold the line-loading button to start the line-winding motor.

#### ST1623T ST1521S ST1511T ST1502SA CUTTING WIDTH **16 INCHES 15 INCHES 15 INCHES 15 INCHES RUN TIME\* 60 MINUTES 30 MINUTES 45 MINUTES 30 MINUTES KITTED BATTERY** 4.0Ah 2.5Ah 2.5Ah 2.5Ah SPEED CONTROL 2-SPEED VARIABLE VARIABLE 2-SPEED VARIABLE VARIABLE NO LOAD SPEEDS 3,500-4,800 / 4,000-5,500 RPM 4,000-5,800 RPM 3,500-4,500 / 4,000-5,800 RPM 4,000-5,800 RPM SOFT START YFS YFS YFS YES SHAFT MATERIAL **TELESCOPIC CARBON FIBER CARBON FIBER TELESCOPIC ALUMINUM** ALUMINUM LINE DIAMETER 0.095 INCHES 0.095 INCHES 0.095 INCHES 0.095 INCHES DUAL LINE YES YES YES YES MOTOR TYPE BRUSHLESS MOTOR **BRUSHLESS MOTOR BRUSHLESS MOTOR BRUSHLESS MOTOR** WEIGHT WITHOUT BATTERY 7.5 LBS 7.7 LBS 7.3 LBS 7.5 LBS WATER RESISTANCE RATING IPX4 IPX4 IPX4 IPX4 WARRANTY **5-YEAR TOOL 5-YEAR TOOL 5-YEAR TOOL 5-YEAR TOOL 3-YEAR BATTERY 3-YEAR BATTERY 3-YEAR BATTERY 3-YEAR BATTERY**

\*Run time may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.

#### EGO POWER<sup>+</sup> STRING TRIMMER | 21



1 11

# MORE POWER THAN A HANDHELD GAS BLOWER



Additional SKU Configurations: LB7650 Battery and charger not included. LB7654-2 Includes 2.5Ah battery and 550W charger.





## LB5302 Power+ 530 CFM Blower

VARIABLE SPEED MINUTES RUNTIME 2.5Ah BATTERY 6 210W CHARGER



Additional SKU Configurations: LB5300 Battery and charger not included.



## **BLOWER COMPARISON CHART**

	LB7654	LB6703	LB6151	LB5302
AIR VOLUME (CFM)	765	670	615	530
AIR SPEED (MPH)	200 (WITH TAPERED NOZZLE)	180 (WITH TAPERED NOZZLE)	170 (WITH TAPERED NOZZLE)	130
LOW SPEED RUNTIME*	UP TO 150 MINUTES	UP TO 160 MINUTES	UP TO 100 MINUTES	UP TO 75 MINUTES
HIGH SPEED RUNTIME*	UP TO 25 MINUTES	UP TO 24 MINUTES	UP TO 15 MINUTES	UP TO 22 MINUTES
TURBO RUNTIME	UP TO 15 MINUTES	UP TO 12 MINUTES	UP TO 10 MINUTES	UP TO 10 MINUTES
KITTED BATTERY	5.0Ah	4.0Ah	2.5Ah	2.5Ah
SPEED SETTING	VARIABLE/CRUISE CONTROL	VARIABLE/CRUISE CONTROL	VARIABLE/CRUISE CONTROL	VARIABLE
SOUND PRESSURE	64dB	64dB	62dB	62dB
MOTOR TYPE	BRUSHLESS MOTOR	BRUSHLESS MOTOR	BRUSHLESS MOTOR	BRUSHLESS MOTOR
WEIGHT WITHOUT BATTERY	4.6 LBS	4.8 LBS	4.6 LBS	4.6 LBS
WEATHER RESISTANCE RATING	IPX4	IPX4	IPX4	IPX4
WARRANTY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY

\*Run time may vary and depend on the battery used, charge level of battery, and user's operation technique.



# HALF THE WEIGHT OF GAS BACKPACK BLOWERS\*

\*Based on comparable gas backpack models

## LB6003 Power+ 600 CFM Backpack Blower



Additional SKU Configurations: LB6000 Battery and charger not included. LB6002 Includes 5.0Ah battery and 210W charger. LB6004 Includes 7.5Ah battery and 550W charger.

\*Run time may vary and depend on the battery used, charge level of battery, and user's operation technique.

**3-YEAR BATTERY** 



# THE EGO NULTERS SYSTEN, DNE HEAD POWERS NULTIPLE THE C

CCQ FUNER

HEDGE TRIMMER


STRING TRIMMER

II II II II

EDGER

POLE SAW





## PH1400 Power+ Multi-Head Power Head



	PH1400	PH1420	MULTI-TOOL SETS	INCLUDES
MOTOR TYPE	BRUSHLESS MOTOR	BRUSHLESS MOTOR	ME0800	PH1400, EA0800
ROTATING DIRECTION	COUNTER-CLOCKWISE	COUNTER-CLOCKWISE	ME0801	PH1400, EA0800
SPEED CONTROL	2-SPEED VARIABLE	DIGITAL 2-SPEED VARIABLE	MHC1502	PH1400, STA1500 and EA0800
DRIVE SHAFT MATERIAL	7MM SOLID STEEL	7MM SOLID STEEL	MHC1603	PH1420, STA1600 and EA0820
DRIVE TUBE TYPE	ALUMINIUM	CARBON FIBER	MHT2001	PH1400, HTA2000
COUPLING MECHANISM	TOOL-FREE QUICK CHANGE	TOOL-FREE QUICK CHANGE	MPS1001	PH1400, PSA1000
WEIGHT	5.8 LBS	6.1 LBS	MSS1203	PH1400, SSA1200
WARRANTY	5-YEAR TOOL	5-YEAR TOOL	MST1501	PH1400, STA1500
			MST1603	PH1420, STA1600



## STA1500 Power+ Multi-Head 15" String Trimmer Attachment



CUTTING SPEED	5,000-6,000 RPM				
RUN TIME*	WITH 2.5AhWITH 5.0AhWITH 7.5AhUP TO 18 MINUTESUP TO 45 MINUTESUP TO 72 MINUTES				
CUTTING WIDTH	15 INCHES				
CUTTING HEAD	RAPID RELOAD TRIMMER HEAD				
LINE DIAMETER	.095 INCHES				
SHAFT MATERIAL	ALUMINUM				
WEIGHT WITHOUT BATTERY	3.5 LBS				
TOTAL LENGTH	38 INCHES				
WARRANTY	5-YEAR TOOL				

## PSA1000 Power+ Multi-Head 10" Pole Saw Attachment



CUTTING SPEED	15 M/S				
RUN TIME*	WITH 2.5Ah UP TO 70 CUTS	WITH 5.0Ah UP TO 140 CUTS	WITH 7.5Ah Up to 210 cuts		
GUIDE BAR LENGTH	10 INCHES				
BLADE MATERIAL	OREGON 90PX040X				
MAX. CUTTING DIAMETER	8 INCHES				
CHAIN SPECS	.375 INCH PITCH; .043	3 INCHES GAUGE			
OIL TANK CAPACITY	7.4 OUNCES				
SHAFT MATERIAL	ALUMINUM				
WEIGHT WITHOUT BATTERY	4.2 LBS				
TOTAL LENGTH	56 INCHES				
WARRANTY	5-YEAR TOOL				

## EAO8OO Power+ Multi-Head 8" Edger Attachment



CUTTING SPEED	3,400-4,000 RPM		
RUN TIME*	WITH 2.5Ah Not recommended	<b>WITH 5.0Ah</b> UP TO 60 MINUTES	<b>WITH 7.5Ah</b> UP TO 100 MINUTES
CUTTING DEPTH	UP TO 3 INCHES		
BLADE LENGTH	8 INCHES		
BLADE THICKNESS	0.12 INCHES		
<b>BLADE ARBOR HOLE SIZE</b>	1 INCH		
GUIDE WHEEL SIZE	5" x 1.5"		
DEBRIS GUARD MATERIAL	ALUMINUM CASTING		
SHAFT MATERIAL	ALUMINUM		
WEIGHT WITHOUT BATTERY	5.0 LBS		
TOTAL LENGTH	36 INCHES		
WARRANTY	5-YEAR TOOL		

## CTA9500 Power+ Multi-Head 9.5" cultivator attachment



CUTTING SPEED	210-240 RPM					
RUN TIME*	<b>WITH 2.5Ah</b> UP TO 40 MINUTES	<b>WITH 5.0Ah</b> UP TO 80 MINUTES	<b>WITH 7.5Ah</b> UP TO 120 MINUTES			
CUTTING WIDTH	ADJUSTABLE 2 Blades: 8 inches / 4 blades: 9.5 inches					
<b>BLADE MATERIAL</b>	STEEL	STEEL				
SHAFT MATERIAL	ALUMINUM					
WEIGHT WITHOUT BATTERY	8.59 LBS					
TOTAL LENGTH	39 INCHES					
WARRANTY	5-YEAR TOOL					

#### HTA2000

POWER+ MULTI-HEAD 20" HEDGE TRIMMER ATTACHMENT



CUTTING SPEED	2,800-3,200 SPM				
RUN TIME*	<b>WITH 2.5Ah</b> UP TO 37 MINUTES	<b>WITH 5.0Ah</b> UP TO 82 MINUTES	<b>WITH 7.5Ah</b> UP TO 122 MINUTES		
BLADE LENGTH	20 INCHES				
CUTTING CAPACITY	1 INCH				
FIXED CUTTING ANGLES	12 POSITIONS				
BLADE MATERIAL	DOUBLE-SIDED LASER	-CUT STEEL BLADE			
SHAFT MATERIAL	ALUMINUM				
WEIGHT WITHOUT BATTERY	5.9 LBS				
TOTAL LENGTH	63 INCHES				
WARRANTY	5-YEAR TOOL				

BBA2100 Power+ Multi-Head Bristle Brush Attachment



SPEED 210-240 RPM **RUN TIME\*** WITH 2.5Ah WITH 5.0Ah WITH 7.5Ah UP TO 50 MINUTES UP TO 100 MINUTES UP TO 150 MINUTES 22 INCHES **CLEANING WIDTH** SHAFT MATERIAL ALUMINUM WEIGHT WITHOUT BATTERY 11 LBS TOTAL LENGTH **40 INCHES** WARRANTY **5-YEAR TOOL** 

## RBA2100 Power+ Multi-Head Rubber broom Attachment



SPEED	210-240 RPM		
RUN TIME*	<b>WITH 2.5AHh</b> UP TO 50 MINUTES	<b>WITH 5.0Ah</b> UP TO 100 MINUTES	<b>WITH 7.5Ah</b> UP TO 150 MINUTES
CLEANING WIDTH	21 INCHES		
SHAFT MATERIAL	ALUMINUM		
WEIGHT WITHOUT BATTERY	13.8 LBS		
TOTAL LENGTH	40.5 INCHES		
WARRANTY	5-YEAR TOOL		

\*Run time may vary and depend on the battery used, charge level of battery, and user's operation technique.



## SSA1200 Power+ Multi-Head Snow Shovel Attachment



SPEED	2-SPEED / VARIABLE
RUN TIME*	<b>WITH 4.0Ah</b> 4-car driveway with 6 inches of snow
CLEARING WIDTH	12 INCHES
THROWING DISTANCE	25 FEET
ADJUSTABLE THROWING Direction	30° LEFT AND 30° RIGHT
SHAFT MATERIAL	ALUMINUM
WEIGHT WITHOUT BATTERY	11.4 LBS
TOTAL LENGTH	31 INCHES
WARRANTY	5-YEAR TOOL

## **STA1600**

POWER+ MULTI-HEAD 16" CARBON FIBER String trimmer attachment With Powerload™



CUTTING SPEED	5,000-6,000 RPM		
RUN TIME*	<b>WITH 2.5Ah</b> UP TO 18 MINUTES	<b>WITH 5.0Ah</b> UP TO 45 MINUTES	<b>WITH 7.5Ah</b> UP TO 72 MINUTES
CUTTING WIDTH	16 INCHES		
CUTTING HEAD	POWER LOAD TRIMMER HEAD		
LINE DIAMETER	.095 INCHES		
SHAFT MATERIAL	CARBON FIBER		
WEIGHT WITHOUT BATTERY	3.4 LBS		
TOTAL LENGTH	38 INCHES		
WARRANTY	5-YEAR TOOL		

\*POWERLOAD" functionality only compatible with PH1420

## PSA1020

POWER+ MULTI-HEAD CARBON FIBER Polesaw Attachment



CUTTING SPEED	15 M/S		
RUN TIME*	WITH 2.5Ah UP TO 70 CUTS	WITH 5.0Ah UP TO 140 CUTS	WITH 7.5Ah UP TO 210 CUTS
GUIDE BAR LENGTH	10 INCHES		
BLADE MATERIAL	OREGON 90PX040X		
MAX. CUTTING DIAMETER	8 INCHES		
CHAIN SPECS	.375 INCH PITCH; .043 INCHES GAUGE		
OIL TANK CAPACITY	7.4 DUNCES		
SHAFT MATERIAL	CARBON FIBER		
WEIGHT WITHOUT BATTERY	3.9 LBS		
TOTAL LENGTH	56 INCHES		
WARRANTY	5-YEAR TOOL		

## EAO820 Power+ Multi-Head Carbon Fiber Edger Attachment



CUTTING SPEED	3,400-4,000 RPM		
RUN TIME*	WITH 2.5Ah Not recommended	<b>WITH 5.0Ah</b> UP TO 60 MINUTES	<b>WITH 7.5Ah</b> UP TO 100 MINUTES
CUTTING DEPTH	UP TO 3 INCHES		
BLADE LENGTH	8 INCHES		
BLADE THICKNESS	0.12 INCHES		
<b>BLADE ARBOR HOLE SIZE</b>	1 INCH		
GUIDE WHEEL SIZE	5" x 1.5"		
DEBRIS GUARD MATERIAL	ALUMINUM CASTING		
SHAFT MATERIAL	CARBON FIBER		
WEIGHT WITHOUT BATTERY	5.0 LBS		
TOTAL LENGTH	36 INCHES		
WARRANTY	5-YEAR TOOL		

## HTA2020

POWER+ MULTI-HEAD 20" CARBON FIBER HEDGE TRIMMER ATTACHMENT



CUTTING SPEED	2,800-3,200 SPM		
RUN TIME*	WITH 2.5Ah Up to 37 minutes	<b>WITH 5.0Ah</b> UP TO 82 MINUTES	<b>WITH 7.5Ah</b> UP TO 122 MINUTES
BLADE LENGTH	20 INCHES		
CUTTING CAPACITY	1 INCH		
FIXED CUTTING ANGLES	12 POSITIONS		
BLADE MATERIAL	DOUBLE-SIDED LASER-CUT STEEL BLADE		
SHAFT MATERIAL	CARBON FIBER		
WEIGHT WITHOUT BATTERY	5.1 LBS		
TOTAL LENGTH	63 INCHES		
WARRANTY	5-YEAR TOOL		

## EP7500 Power+ Multi-Head Extension Pole Attachment

## EP7501 Power+ Multi-Head Carbon Fiber Extension Pole

For use with Multi-Head Pole Saw Attachments: **PSA1000, PSA1020** only



\*Run time may vary and depend on the battery used, charge level of battery, and user's operation technique.



# ADVANCED TOOL-FREE TENSIONING TECHNOLOGY







## CS1804 Power+ 18" Cordless Chain Saw



CS1800 Battery and charger not included. CS1803 Includes 4.0Ah battery and 210W charger. CS1804-2 Includes two 5.0Ah batteries and 550W charger.

## CS1611 Power+ 16" Chain Saw (40CC)





Additional SKU Configurations: CS1610 Battery and charger not included. CS1613 Includes 4.0Ah battery and 210W charger.



### <mark>CS1401</mark> Power+ 14" Chain Saw

130

)

UP TO 130 cuts







Additional SKU Configurations: CS1600 Battery and charger not included. Additional SKU Configurations: CS1400 Battery and charger not included. CS1403 Includes 2.0Ah battery and 210W charger.

### CHAIN SAW COMPARISON CHART

	CS2005	CS1804	C\$1611	CS1604	CS1401
BAR & CHAIN SPECS	20 INCH 3/8" PITCH, .050" Gauge, 69 Drive Links	18 INCH 3/8" PITCH, .050" GAUGE, 62 DRIVE LINKS	16 INCH 3/8" PITCH, .043" GAUGE, 56 DRIVE LINKS	16 INCH 3/8" Pitch, .043" Gauge, 56 Drive Links	14 INCH 3/8" PITCH, .043" GAUGE, 52 DRIVE LINKS
MOTOR TYPE	BRUSHLESS MOTOR				
CC POWER EQUIVALENT	50CC	45CC	40CC	35CC	30CC
RUN TIME*	135 CUTS (6x6 LUMBER)	300 CUTS (4x4 LUMBER)	130 CUTS (4x4 LUMBER)	250 CUTS (4x4 LUMBER)	130 CUTS (4x4 LUMBER)
BATTERY CAPACITY	6.0Ah	5.0Ah	2.5Ah	5.0Ah	2.5Ah
CHAIN SPEED	25 M/S	20 M/S	20 M/S	13.5 M/S	13.5 M/S
OIL RESERVOIR	6.76 OUNCES	7 OUNCES	5 OUNCES	5 OUNCES	5 OUNCES
AUTOMATIC OILING	YES	YES	YES	YES	YES
TOOL-FREE TENSIONING	NO	YES	YES	YES	YES
CHAIN BRAKE	YES	YES	YES	YES	YES
WEIGHT WITHOUT BATTERY	13 LBS	9.6 LBS	9.0 LBS	8.5 LBS	8.2 LBS
WEATHER RESISTANCE RATING	IPX4	IPX4	IPX4	IPX4	IPX4
WARRANTY	5-YEAR TOOL 3-YEAR BATTERY				

\*Run time may vary depending on the charge level of the battery and user's operation technique.



### INDUSTRY'S FIRST LED CUT LINE INDICATOR




Additional SKU Configurations: **PS1000** Battery and charger not included.

\*Run time may vary depending on the charge level of the battery and user's operation technique.



### BALANCED, CONTROLLED, POWERFUL CUTTING



Additional SKU Configurations: HT2600 Battery and charger not included.



	HT2601	HT2501	HT2411
BLADE LENGTH	26 INCHES	25 INCHES	24 INCHES
BLADE GAP	1.2 INCHES	1.25 INCHES	1 INCH
<b>RUN TIME*</b> with included 2.5Ah battery	UP TO 60 MINUTES	UP TO 40 MINUTES	UP TO 75 MINUTES
SPEED CONTROL	SINGLE SPEED	2-SPEED SETTING (HIGH/LOW)	SINGLE SPEED
NO LOAD SPEEDS	3,400 SPM	2,800/3,200 SPM	3,000 SPM
BLADE TYPE	DIAMOND GROUND CUTTING BLADES	LASER CUT, DIAMOND GROUND CUTTING BLADES	HARDENED STEEL CUTTING BLADE
CUTTING ACTION	DOUBLE-SIDED CUTTING BLADE	DOUBLE-SIDED CUTTING BLADE	DOUBLE-SIDED CUTTING BLADE
WEIGHT WITHOUT BATTERY	6.92 LBS	8.4 LBS	6.16 LBS
WEATHER RESISTANCE RATING	IPX4	IPX4	IPX4
WARRANTY	5-YEAR TOOL, 3-YEAR BATTERY	5-YEAR TOOL, 3-YEAR BATTERY	5-YEAR TOOL, 3-YEAR BATTERY

\*Run time may vary and depend on the battery used, charge level of battery, and user's operation technique.



### EG0803 Power+ Earth Auger



BATTERY / CHARGER	4.0Ah / 320W
TORQUE	65 FT-LBS
RUN TIME with included 4.0Ah	50+ HOLES
MOTOR	BRUSHLESS MOTOR
SHAFT SPEED	HIGH: 210 RPM Low: 150 RPM
CUTTING DIAMETER	8 INCHES
AUGER BIT LENGTH	32 INCHES
WEIGHT WITHOUT BATTERY	33 LBS
WEATHER RESISTANT RATING	IPX4
WARRANTY	5-YEAR TOOL 3-YEAR BATTERY



Additional SKU Configurations: EGOBOO Battery and Charger not included.

> ADDITIONAL AUGER ACCESSORIES ON PAGE 67.





BATTERY / CHARGER	5.0Ah / 320W
TORQUE	65 FT-LBS
RUN TIME with included 5.0Ah	2,500 INCHES
MOTOR	BRUSHLESS MOTOR
SHAFT SPEED	HIGH: 210 RPM Low: 150 RPM
CUTTING DIAMETER	8 INCHES
AUGER BIT LENGTH	39 INCHES
WEIGHT WITHOUT BATTERY	30 LBS
WEATHER RESISTANT RATING	IPX4
WARRANTY	5-YEAR TOOL 3-YEAR BATTERY

HIGH AND LOW SPEEDS PLUS REVERSE FUNCTION ALLOW EFFICIENT DIGGING CUTS UP TO 2,500 INCHES OF ICE ON A single charge with the included 56V 5.0AH ARC lithium\* battery NEW 🖉 GC HIGH-EFFICIENCY Brushless Motor Delivers 65 FT-LBS OF UNIVERSAL 7/8" BIT Connection compatible With ICE and Earth Bits TORQUE TO DRILL THROUGH THE THICKEST ICE FOR ADDED VERSATILITY ANTI-KICKBACK Protection safeguards ERGONOMIC HANDLE DESIGN MAKES THE AUGER EASY TO MANEUVER AND FROM UNEXPECTED JAMS **IMPROVES SAFETY** 8" ICE AUGER DRILL BIT INCLUDED

Additional SKU Configurations: IGO800 Battery and Charger not included.

> ADDITIONAL AUGER ACCESSORIES ON PAGE 67.



# POWER MORE POSSEBBILIES





### HPW3204-2 Power+ 3200PSI Pressure Washer





BATTERY / CHARGER	(2) 6.0Ah / 320W
PSI	3200 MAX
GPM	1.2/2.0 MAX
RUN TIME with two included 6.0Ah	60 MINUTES
MOTOR	BRUSHLESS MOTOR
INCLUDED NOZZLES	TURBO 15° 25° 40° RINSE
WEIGHT WITHOUT BATTERY	36.2 LBS
WEATHER RESISTANT RATING	IPX4
WARRANTY	5-YEAR TOOL 3-YEAR BATTERY

Includes flexible high-pressure hose, siphon hose, quick-connect short pressure washer gun, quick-connect wand lance, stainless steel wand, foam cannon, and filter. TELESCOPIC HANDLE PULLS OUT FOR EASY TRANSPORT AND COLLAPSES FOR COMPACT STORAGE



QUICK CONNECTION POINTS FOR HOSE AND WAND ALLOW EASY SETUP AND BREAKDOWN

CONNECT TO GARDEN HOSE OR DRAW FROM ANY FRESH WATER SOURCE WITH INCLUDED SIPHON HOSE

Additional SKU Configurations: HPW3200 Battery and Charger not included.

) ADDITIONAL PRESSURE WASHER ACCESSORIES ON PAGE 68.

### WDV0904 Power+ 9 Gallon Wet/Dry Vacuum



BATTERY / CHARGER	5.0Ah / 320W
CFM	110 MAX
RUN TIME with included 5.0Ah	60 MINUTES
SUCTION POWER LIFT	100 INCH MAX
MOTOR	BRUSHLESS MOTOR
TANK SIZE	9 GALLON
INCLUDED ACCESSORIES	DUST BAG Extension tube (2X) Crevice Nozzle Round Brush dust Nozzle Large Floor Nozzle Rubber Bar Compact Floor Nozzle Vacum Hose Remote Control Charging Cable For Remote Power Tool Adapter
WEIGHT WITHOUT BATTERY	26.7 LBS
WEATHER RESISTANT RATING	IPX4
WARRANTY	5-YEAR TOOL 3-YEAR BATTERY



FILTER CLEANING FUNCTION KEEPS WET/DRY VACUUM FILTER CLEAN FOR MAXIMUM SUCTION AND EFFICIENCY

WIRELESS REMOTE

- LED LIGHT
- ENABLE TURBO
- MODE
- START/STOP
- CHARGED VIA USB-C

Additional SKU Configurations: WDV0900 Battery and Charger not included.

> ADDITIONAL WET/DRY VACUUM ACCESSORIES ON PAGE 68.


ONBOARD STORAGE Conveniently stores Nozzles, extensions, AND Hose



## POWERTO MATCH VOURTESTUE











### POWERFUL, QUIET Acceleration with top Speeds up to 28 Mph

G

52 | EGO POWER<sup>+</sup> MINI BIKE







Additional SKU Configurations: MB1000 Battery and Charger not included.



TOP SPEED	28 MPH
MOTOR POWER	1000W RATED
RANGE*	UP TO 20 MILES
WEIGHT WITHOUT BATTERY	140 LBS
WEATHER RESISTANT RATING	IPX4
WARRANTY	1 YEAR

\*Range may vary and depend on the battery used, charge level of battery, and user's operation technique.



POWER<sup>P</sup> PORTABLE POWER

### POWER UP ANYWHERE

### PAD1800 Power+ Nexus Escape 180W Inverter

Pure sine wave delivers high-quality, clean power to sensitive electronics



### PAD5000 Power+ Nexus Escape 400W Inverter

Power up to four total devices simultaneously or charge your 56V EGO Battery



	PAD1800	PAD5000
POWER OUTPUT	180W CONTINUOUS 300W PEAK	400W CONTINUOUS 800W PEAK
WAVE	PURE SINE	PURE SINE
OUTLETS	120V AC	120V AC
PORTS	USB-A USB-C PD 100W OUT	USB-C PD IN/OUT (100W) USB-C (18W) USB-A (18W)
BUILT IN LIGHT	YES	YES
WARRANTY	5-YEAR TOOL	5-YEAR TOOL

### PST3042 Power+ Nexus Portable Power Station

World's first battery power source to match gas generators

BATTERY	(2) 7.5Ah
POWER OUTPUT	2000W CONTINUOUS 3000W PEAK
OUTLETS	(3) 120V AC
PORTS	(4) USB-A
DISPLAY	BRIGHT LED DISPLAY Shows run time
CONSTRUCTION	ROBUST STEEL HANDLES
BATTERY CHARGER	4 PORTS (WHEN PLUGGED IN)
USAGE	INDOOR AND OUTDOOR
WEATHER RESISTANT RATING	IPX4
WARRANTY	5-YEAR TOOL 3-YEAR BATTERY



Additional SKU Configurations: **PST3040** Power Station only **PST3041** Includes (4) 5.0Ah batteries

CHARGES UP TO FOUR EGO ARC LITHIUM™ BATTERIES



### CH1800 Power+ Nexus Solar Panel Charger

The EGO Solar Panel Charger is the only charger approved for use with the EGO Nexus Power Station.



### SP1000 Power+ 100w Solar Panel

This compact, lightweight solar panel sets up easily with two kickstands and folds for easy travel and storage. The panels feature monocrystalline cell construction for high-efficiency solar energy conversion.



### TAKE ON ANYTHING WINTER THROWS AT YOU




Additional SKU Configurations: SNT2800 Battery and Charger not included.



### SNT2416 Power+ 24" Self-Propelled 2-Stage XP Snow Blower With Peak Power™



### SNT2405 Power+ 24" Self-Propelled 2-Stage Snow Blower With Peak Power™





### **SNT2125AP**

### POWER+ AUGER-PROPELLED SNOW BLOWER



21" CLEARING WIDTH

Additional SKU Configurations: SNT2120AP Battery and Charger not included.



With the included 2 x 7.5Ah ARC Lithium™ batteries



### SNT2102 Power+ Snow Blower with Peak Power™



Additional SKU Configurations: SNT2100 Battery and charger not included. SNT2101 Includes (2) 4.0Ah batteries and 320W charger.



### MSS1203 Ego Power+ Multi-Head Snow Shovel







25° DIRECTIONAL Throwing distance



### **POWER+ MOWER**

### AB2000

Standard blade for LM2002, LM2101 and LM2022SP

### AB2100

Standard blade for LM2101 and LM2102SP



### AB2101

High-lift blade for 20-inch lawn mowers



. 0

....

...

### AB2100D

Mulching dual blade set for Select Cut 21-inch lawn mowers

### AB2101D

Bagging dual blade set for Select Cut 21-inch lawn mowers



21-inch mulching blade



### AB2200D

22-inch High-Performance Blade Set for LM2200SP

### AB2201D

22-inch High-Lift Bagging Blade Set for LM2200SP

### APH1000

21-inch mower phone holder



### **POWER+ RIDING MOWER**

### AB4201D

Bagging blade set for ZT4204L, ZT4205S, TR4204

AB4200D Replacement blade set for ZT4204L, ZT4205S, TR4204





ABP5200 Mulching blade set for ZT5207L



AB5201D Bagging blade set for ZT5207L



AB5200D Replacement blade set for ZT5207L

ABK4200 ZT4204L bagger kit

ABK5200 ZT5207L bagger





AMG1000

Riding mower onboard storage

AMS1000 Riding mower sun shade

### ABK4200T

42-inch tractor bagging kit. Includes bagger, bagging blades, and counter weights









### **POWER+ CHAIN SAW BARS**

### AG1000

10-inch guide bar for PSA1000 and PSX2500





12-inch guide bar for CSX3000



### AG1400

14-inch guide bar for CS1400



### AG1600

AG1800

16-inch guide bar for CS1600

18-inch guide bar





### AG1000Q

for CS1800

10-inch bar for carbon fiber pole saw models PS1000 and PSX2510



### AK2005

20-inch residential chainsaw chain and bar kit



### **POWER+ CHAIN SAW CHAINS**

### AC1000

10-inch chain for PSA1000 and PSX2500. 3/8" pitch, .043 gauge, 40 drive links



12-inch chain for CSX3000 3/8" pitch, .043 gauge, 45 drive links



### AC1400

AC1200

14-inch chain for CS1400 3/8" pitch, .043 gauge, 52 drive links

### AC1600

16-inch chain for CS1600 3/8" pitch, .043 gauge, 56 drive links

### AC1800

18-inch chain for CS1800 3/8" pitch, .043 gauge, 62 drive links



### AC1000Q

10-inch chain for carbon fiber pole saw models PS1000 and PSX2510



### AC2005

20-inch residential chainsaw chain



Premium oil-free bar and chain lubricant. 100% bio-based, biodegradable formula

### AOL1000

Premium oil-free bar and chain lubricant. 100% bio-based, biodegradable formula



NEW



### **POWER+ BLOWER ATTACHMENTS**

### AGC1000

Gutter cleaning attachment for LB530, LB580, LB575, LB615, LB650, and LBX6000

AN5300 Nozzle for LB5300 and LB5750





AN5801 Spread nozzle for LB5800



### ANGOOOF

Flat nozzle for LB6500, LB6150, LB5800 and LBX6000



ANGOOOR Nozzle for LB6500, LB6150, LB5800, and LBX6000



AST2000

Handheld blower compact tube attachment. Compatible with all EGO handheld blowers.



### **POWER+ SHOULDER STRAPS**

### AP1500

Universal shoulder strap compatible with all EGO blowers and string trimmers



### **POWER+ STRING TRIMMER HEADS**

### AH1300

15" string trimmer bump head replacement



### AH1500

Rapid Reload trimmer head for ST1520SF and MST1501. AH1501 for counter-clockwise rotation

### AH1520

Powerhead™ trimmer head for ST1500, ST1500F, ST1530. AH1522 for counter-clockwise rotation

AH1522

Replacement Powerload<sup>™</sup> string trimmer head for ST1510T

### AH1620 Line-IO trimmer head for ST1623T

AH1530 Rapid Reload trimmer head for ST1502SA and ST1500SF

### AH1531

Rapid Reload trimmer head for use with counter- clockwise trimmers ST1500, ST1530, MST1500, and BCA1200

### AL2420PB

Pre-cut .095" premium twist trimmer line 5 Pack

### AL2420P

Pre-cut .095" twisted trimmer line 5 Pack

### AL2420PD

Pre-cut .095" twisted trimmer line 5 Pack

### AL2470B

230 feet of .095" premium trimmer line Bulk pack



















### **POWER+ STRING TRIMMER HEADS CONTINUED**

AL2450S

160 feet of .095" twisted trimmer line



### **POWER+ SINGLE STAGE SNOW BLOWER**



### **POWER+ 2-STAGE SNOW BLOWER**

<b>ACT2400</b> 2-Stage Chute Cleaning Tool	
ADC2400	
2-Stage Drift Cutters	1100
AKS2400D	
2-Stage Plastic Skid Shoes (fits 24" and 28")	B
AKS2800D	
2-Stage Metal/Plastic Skid Shoes	
(fits 24" and 28")	
ASP2400	(m)
2-Stage Shear Pin (1pack)	
ASP2400D	100 H H
2-Stage Shear Pin (2pack)	
ASS2400	
24" 2-Stage Scraper Bar	
ASS2800	
28" 2-Stage Scraper Bar	

### **POWER+ STORAGE BAGS**

### BCS1000

For use with the EGO 14", 16" and 18" chain saws

### BMH1000

For use with the EGO multi-head system



**CBOO2** Single stage snow blower cover for SNT2100/SNT2110

### **CB003** 2-stage snow blower cover

fits 24" 2-stage models only



EGO

**CFN001** Misting fan cover



**CM001** Mower cover for 20" and 21" mowers

### CRM001

42" Riding mower cover



### **POWER+ AUGER**

<b>AETO400</b> 4" Earth auger bit	
<b>AETOGOO</b> 6" Earth auger bit	
<b>AETO800</b> 8" Earth auger bit	
<b>AET1000</b> 10" Earth auger bit	ł
<b>ABE2000</b> 20" Auger bit extension	NEW
<b>AITO800</b> 8" Ice auger bit	NEW
<b>AB08001</b> 8" Ice auger bit blade	NEW



### **POWER+ CLEANING**

AFC3200	
Premium brass foam cannon	NEW
ANZ3200	
High pressure washer O° nozzle	NEW
ANK3200	
High pressure washer nozzle kit (Turbo+15°+25°+40°+ rinse nozzle)	NEW
AVH0907	$\mathbf{\circ}$
1-7/8" x 7 foot vacuum hose for WDV0900	$\boldsymbol{\Theta}$
AVF0900	
Flat filter for WDV0900	
AVG0905	-
Dust bag (5 pcs) for WDV0900	

### **POWER+ SAFETY GLASSES**

### GS001

Clear lenses with 99.9% UV protection, anti-scratch, impact-resistant lens

### GS002

Gray lenses with 99.9% UV protection, anti-scratch, impact-resistant lens

### GS003

Yellow lenses with 99.9% UV protection, anti-scratch, impact-resistant lens







### **POWER+ WORK GLOVES**

**GVOO1** Synthetic work gloves





### SETTING THE NEW STANDARD

2024 PRODUCT CATALOG









### TABLE OF Contents

EGO Commercial PGX™ Charging EGO Commercial Mowers EGO Commercial Backpack Blower	72 82
	EGO Commercial String Trimmer
EGO Commercial Bike Handle Brush Cutter	88
EGO Commercial Telescopic Pole Saw	90
EGO Commercial Edger	92
EGO Commercial Pole Hedge Trimmer	94
EGO Commercial Chain Saw	98
EGO Commercial Battery Technology	100
EGO Commercial Accessories	102



### MAXIMIZE YOUR UPTIME





## WORK ALL DAY & CHARGE OVERNIGHT





## INTRODUCING PGX™ COMMERCIAL CHARGING SYSTEM

EGO Commercial's PGX™ Commercial Charging system is a flexible charging solution that scales to your business.










**PGX™ POWER BANK** Charges 30+ Ah of portable batteries during the day







## IT STARTS WITH THE POWER HUB


- ONLY ONE POWER HUB NEEDED
- CONNECTS TO PGX™ COMMERCIAL CHARGING 3-PORT DOCKS
- MOUNTS IN A BUILDING, VAN, OR TRAILER
- RUNS OFF OF A SINGLE 15A CIRCUIT



#### PGX1600H PGX™ COMMERCIAL CHARGING 1600W HUB







## **CHARGE UP TO 70 BATTERIES OVERNIGHT**

- 3-PORT DOCK CHARGES 3 BATTERIES SIMULTANEOUSLY
- CONNECT UP TO 24 DOCKS TO ONE PGX<sup>™</sup> HUB
- DOCKS CHARGE IN SERIES



#### PGX3000D PGX™ COMMERCIAL CHARGING 3-PORT DOCK



POWER REQUIREMENT	PGX™ HUB (15A CIRCUIT)
EXPANDABLE	Yes
CONNECTIVITY	BLUETOOTH AND WIFI
DIMENSIONS	23.5" x 6.75" x 11.5"



7x MOUNTING POINTS





## **CHARGE DURING THE DAY**

- CHARGES 30+ Ah OF EGO POWER+ PORTABLE BATTERIES DURING THE DAY
- WORKS SEAMLESSLY WITH THE POWER HUB
- LARGE FORMAT BATTERIES CAN BE SWAPPED FOR MORE CAPACITY





#### PGX1400PB PGX™ COMMERCIAL POWER BANK



AC RECHARGE REQUIREMENT	PGX™ HUB (15A CIRCUIT)
CHARGE TIME (AC)	120 MINUTES (40Ah HIGH CAPACITY)
CHARGE TIME (DC)	75 MINUTES with two 12.0Ah 60 MINUTES with two 10.0Ah 50 MINUTES with two 8.0Ah 45 MINUTES with two 7.5Ah 35 MINUTES with two 6.0Ah 30 MINUTES with two 5.0Ah 25 MINUTES with two 4.0Ah 30 MINUTES with two 2.5Ah
DC CHARGING SPEED	2x 700W
EXPANDABLE	YES
CONNECTIVITY	BLUETOOTH AND WIFI
WEIGHT	38 LBS
DIMENSIONS	20.25" x 16.5" x 16"
WEATHER RESISTANT RATING	IPX2

Additional SKU Configurations: **PGX3100K** Includes PGX1400PB, HC2240T, and two BA4200T.

#### HC2240T PGX™ Commercial 2.2kWh (40Ah) High Capacity Battery



VOLTAGE	56V
ENERGY	2.2kWh
CHARGE TIME	120 MINUTES (40Ah High Capacity)
AC RECHARGE REQUIREMENT	PGX™ HUB (15A CIRCUIT)
CONNECTIVITY	BLUETOOTH
WEIGHT	39 LBS
DIMENSIONS	13.3" x 6.8" x 12.7"
WEATHER RESISTANT RATING	IPX4



## INDUSTRY'S MOST POWERFUL GAS OR Cordless Walk-Behind Mower



#### LMX5300SP Commercial 22" Aluminum Deck Self-Propelled Lawn Mower



GAS EQUIVALENT	230CC RATING
TORQUE	14.8 FT-LBS
MAX POWER	4000W
RATED POWER	1600W
RUN TIME with two 12.0Ah batteries	UP TO 135 MINUTES
RECHARGE TIME with two 12.0Ah batteries using PGX" Power Bank	75 MINUTES
BATTERY WATTS	8960
SELF-PROPELLED	YES

CUTTING SYSTEM	COMMERCIAL SINGLE BLADE
CUTTING HEIGHTS	8
DECK SIZE	22 INCHES
MAX BLADE TIP SPEED	18,000 FPM
DECK MATERIAL	ALUMINUM
BATTERY TECHNOLOGY	56V ARC LITHIUM™
WEIGHT WITHOUT BATTERY	99.2 LBS
WEATHER RESISTANT RATING	IPX5



60

# 60% MORE POWER

-60



Additional SKU Configurations: LBPX8004-2 Includes (2) 6.0Ah batteries and 280W Dual Port charger. LBPX8006-2 Includes (2) 10.0Ah batteries and 280W Dual Port charger.

IPX5

WEATHER RESISTANT RATING



# 20% MORE POWER






# MORE POWER THAN GAS





# 40% LIGHTER

90 | EGO COMMERCIAL TELESCOPIC POLE SAW





**5X LONGER LIFE** 



#### EDX2000 Commercial 8" Straight Shaft Edger



#### EDX2000-C Commercial 8" Curved Shaft Edger






	EDX2000	EDX2000-C	
GAS EQUIVALENT	25CC RATING		
MAX POWER	1600W 2300W		
RATED POWER	1200W	1600W	
RUN TIME with 5.0Ah battery on low	UP TO 60 MINUTES		
BLADE SIZE	8 INCHES		
MAX CUTTING DEPTH	3 INCHES		
ARBOR SIZE	1 INCH		
SPEEDS no load RPM	3000 / 4000 / 4500 RPM	4000 / 5500 / 7000 RPM	
SHAFT MATERIAL	CARBON FIBER	ALUMINUM	
SHAFT STYLE	STRAIGHT CURVED		
DRIVE SHAFT	SOLID STEEL FLEXIBLE		
BATTERY TECHNOLOGY	56V ARC LITHIUM™		
HOUSING	UV-RESISTANT COMPOSITE		
TOOL LENGTH	69.5 INCHES	67.3 INCHES	
WEIGHT WITHOUT BATTERY	10.4 LBS 10.4 LBS		
WEATHER RESISTANT RATING	IPX5		



## INDUSTRY-LEADING DURABLE CARBON FIBER RAILS













	HTX5300-PA	HTX5310-P	HTX5300-P	
GAS EQUIVALENT	25CC RATING			
MAX POWER		1000W		
RATED POWER		650W		
RUN TIME with 2.5Ah battery on low	UP TO 75 MINUTES			
BLADE	21-INCH DUAL-ACTION HARDENED STEEL			
CUTTING CAPACITY	1.1 INCHES			
CUTTING POSITIONS	45°, 30°, 15°, 0°, -15°, -30°, -45°, -60°, -75°, -90°, -180°			
HEAD ROTATION	180° ARTICULATING FIXED Max Range			
SPEEDS	3200 / 3600 / 4000 RPM			
SHAFT MATERIAL	CARBON FIBER			
GEARBOX	DIE CAST ALUMINUM / SERVICEABLE			
BATTERY TECHNOLOGY	56V ARC LITHIUM™			
HOUSING	UV-RESISTANT COMPOSITE			
SHAFT LENGTH	59 INCHES	42 INCHES	20 INCHES	
OVERALL TOOL LENGTH	98.2 INCHES 82.7 INCHES 59.1 INCHE		59.1 INCHES	
WEIGHT WITHOUT BATTERY	11 LBS 9.0 LBS 9.2 LBS		9.2 LBS	
WEATHER RESISTANT RATING	IPX5			



## **ADVANCED TORQUE AND CHAIN SPEED**

#### **CSX5000** COMMERCIAL 20" FARM AND RANCH CHAIN SAW



Additional SKU Configurations: CSX5007 Includes 8.0Ah battery and 550W charger.



Additional SKU Configurations: CSX3003 Includes 5.0Ah battery and 550W charger.



	0075000	008000	
	CSX5000	CSX3000	
GAS EQUIVALENT	<b>GOCC RATING</b>	35.2CC RATING	
MAX CUTTING CAPACITY (4 x 4 wood)	UP TO 275 CUTS with 8.0ah battery	UP TO 265 CUTS with 5.0ah battery	
MAX POWER	3500W	2500W	
RATED POWER	2700W	1800W	
BAR LENGTH	20 INCHES	12 INCHES	
CHAIN SPEED	30 M/S	20 M/S	
CHAIN SPECS	.325 INCH PITCH .050 INCH GAUGE 78 DRIVE LINKS	.375 INCH PITCH .043 INCH GAUGE 45 DRIVE LINKS	
CHAIN ADJUSTMENT	MANUAL		
OILING	AUTOMATIC		
CHAIN KICK BACK BRAKE	YES		
AUTO SAFETY BRAKE	YES NO		
BUCKING SPIKES	METAL		
DIGITAL USER INTERFACE	YES	NO	
LED WORK LIGHT	YES	NO	
BATTERY TECHNOLOGY	56V ARC LITHIUM™		
HOUSING	UV-RESISTANT COMPOSITE		
WEIGHT WITHOUT BATTERY	13 LBS	7.7 LBS	
WEATHER RESISTANT RATING	IPX5		



## THE MOST ADVANCED TECHNOLOGY In the industry


#### **BETTER PERFORMANCE IS BUILT IN**

No matter which EGO battery you choose, you'll get:

- Protection from drops and the elements, thanks to our shock-resistant design
- Patented ARC Lithium design keeps the battery from overheating
- Patented power management system to maximize power and runtime
- An integrated fuel gauge that shows you how much power is left
- 2 years with registration completed within 90 days from date of purchase. 1 year warranty without registration



### ARC56V



## ALL VOLTS Are not Created Equal

### VOLTAGE ≠ PERFORMANCE

Performance of a battery is determined by a combination of ENERGY(Wh) and POWER(W)

CAPACITY	x VOLTAGE	= ENERGY	VOLTAGE x	CURRENT	= POWER
(Ah)	(V)	(Wh)	(V)	(A)	(W)







#### **COMMERCIAL CHAIN SAWS**

#### AC1200

12" replacement saw chain for CSX3000 3/8"/9.5mm LP Pitch, .043"/1.1mm Gauge Saw Chain, 45 Drive Links





12" replacement guide bar for CSX3000



#### ABH3000





#### AC1635

16"/40cm, .325" Pitch, .050"/1.3 mm Gauge Saw Chain, **66 Drive Links** 

#### AC1835

18"/45cm, .325" Pitch, .050"/1.3 mm Gauge Saw Chain, 72 Drive Links

#### AC2035

20"/50cm, .325" Pitch, .050"/1.3 mm Gauge Saw Chain, 78 Drive Links



#### AK1635

16"/40cm, .325" Pitch, .050"/1.3 mm Gauge Chain and Bar Kit, 66 Drive Links



#### AK1835

18"/45cm, .325" Pitch, .050"/1.3 mm Gauge Chain and Bar Kit, 72 Drive Links




=60

#### AK2035

20"/50cm, .325" Pitch, .050"/1.3 mm Gauge Chain and Bar Kit, 78 Drive Links

#### **COMMERCIAL PGX™**



PGX™ Commercial Charging E-Track Mounting Kit



#### COMMERCIAL HEDGE TRIMMERS

<b>AHB5300P</b> Commercial 21" Hedge Trimmer Replacement Blade Set Compatible with HTX5300-P and HTX5310-P	
AHB5300PA Commercial 21" Articulating Hedge Trimmer	····

Commercial 21" Articulating Hedge Trimmer **Replacement Blade Set** Compatible with HTX5300-PA

#### **COMMERCIAL BRUSH CUTTERS**

AP4500D Premium Commercial Double Shoulder Brush **Cutter Harness** 

#### COMMERCIAL WALK-BEHIND MOWERS

AB5301 22" High-Lift Commercial Blade



#### **COMMERCIAL STRING TRIMMER**

#### AD4510

AL2403

Commercial Replacement String Trimmer Guard

0.095" x 800' / 3 lbs. Commercial Trimmer Line





**AL2405** 0.095" x 1400' / 5 lbs. Commercial Trimmer Line



**AL2703** 0.105" x 690' / 3 lbs. Commercial Trimmer Line



**AL2420PB** Bi-component trimmer line (pre-cut line)



AL2470B

Bi-component trimmer line (bulk package)



#### AOL3200

32oz oil-free, biodegradable bar and chain lubricant. Water soluble for easy clean-up.

#### A0L1000

1 Gallon oil-free, biodegradable bar and chain lubricant. Water soluble for easy clean-up

#### AH3800

Manual Load, Bump Head for STX3800, STX4500, BCX3800, and BCX4500



Commercial rapid reload trimmer head



#### SAFETY

**GSOO3** Safety Glasses - Yellow Lens

**GSOO2** Safety Glasses - Grey Lens



F

**GSOO1** Safety Glasses - Clear Lens



**GVOO1M** Synthetic Glove - Medium (Note: gloves run small)

**GVOO1L** Synthetic Glove - Large (Note: gloves run small)

**GVOO1XL** Synthetic Glove - X-Large (Note: gloves run small)

**GVOD1XXL** Synthetic Glove - XX-Large (Note: gloves run small)







Your local dealer:

#### egopowerplus.com



All rights reserved. Neither this catalog nor its text, images, illustrations or part thereof, may be reproduced, stored in a retrieval system, photocopied, recorded or transmitted in any form, whether electronic or otherwise, without our consent. To the best of our knowledge, all descriptions, images and illustrations contained in this catalog are correct at the time of going to print. We cannot, however, be held liable for any inaccuracies of description, image or illustration and reserve the right to change specifications without notification.