



TABLE OF CONTENTS

| EGO Power+ Batteries & Chargers | 4 | EGO Power+ Hedge Trimmer |
|---------------------------------|----|---------------------------|
| EGO Power+ Riding Mower | 6 | EGO Power+ Auger |
| EGO Power+ Mower | 12 | EGO Power+ Cleaning |
| EGO Power+ String Trimmer | 18 | EGO Power+ Lifestyle |
| EGO Power+ Blower | 22 | EGO Power+ Mini Bike |
| EGO Power+ Backpack Blower | 26 | EGO Power+ Portable Power |
| EGO Power+ Multi-Head | 28 | EGO Power+ Snowblower |
| EGO Power+ Chain Saw | 32 | EGO Power+ Accessories |
| EGO Power+ Pole Saw | 36 | EGO COMMERCIAL |

WARRANTY INFORMATION

Please find detailed warranty policy terms at egopowerplus.com/warranty-policy



#1 RATED BRAND*

EGO is the #1 rated brand in cordless outdoor power according to industry experts and purchasers based on power, performance, durability, and value.

POWER AND PERFORMANCE OF GAS

All EGO tools deliver or exceed the power and performance of gas—without the noise, fuss, or fumes—guaranteeing maximum power, longer runtimes, and industry-leading recharge times.

INDUSTRY'S MOST ADVANCED TECHNOLOGY

Our patented ARC Lithium™ technology is the most advanced in the outdoor power equipment industry with its shock-resistant design, intelligent power management, innovative ARC-shaped design, and keep-cool cell technology.

INNOVATION

No matter which EGO tool you use, you can expect groundbreaking innovation that solves for pain points, such as the world's first LINE IQ™ technology, world's first platform-compatible zero-turn riding mower, and world's first auto tensioning technology.

^{*}Best rated suite of products 2020-2024, plus more top ratings for more cordless outdoor power products than any other major brand from 2014-2024, as tested and rated by a leading non-profit rating organization.





BETTER PERFORMANCE IS BUILT IN

No matter which EGO battery you choose, you'll get:

- Shock-resistant that design protects from drops and elements
- Our patented power management system to maximize power and runtime
- Revolutionary phase-change material that keeps cells running cool
- An integrated fuel gauge that shows you how much power is left
- A 3-year limited warranty; 5-year limited warranty for BA5600T, BA6720T with registration, see egopowerplus.com/warranty-policy for details

FROM EMPTY TO FULLY CHARGED, IN AS LITTLE AS 30 MIN

With a range of battery sizes available from 2.5Ah to 12Ah, you can choose the power you need. When it's time to recharge, EGO chargers are among the fastest on the market. Their intelligent battery control system constantly monitors each cell's charge and temperature to deliver the quickest, most efficient charge. Plus, the fan-cooling system allows the battery to start charging sooner and finish faster.

As a result, the time it takes to recharge the battery is often less than the runtime you get from a full charge. So you'll always have a battery ready for all-day power and runtime.



VOLTAGE ≠ PERFORMANCE

Performance of a battery is determined by a combination of ENERGY(Wh) and POWER(W)

> CAPACITY x VOLTAGE = **ENERGY**

(W)

BATTERIES

BA1400T 2.5Ah BATTERY 140Wh

| BA2242T 4.0Ah BATTERY 224Wh























BA2800T-2 5.OAh BATTERY 2-Pack (560Wh total)











BA6720T-2 12.OAh BATTERY 2-Pack (1,344Wh total)

CHARGERS

CH2100 210W STANDARD CHARGER



CH2800D 280W x2 DUAL PORT CHARGER



CH3200 320W CHARGER



CH5500 550W RAPID CHARGER



CH7000 **700W TURBO CHARGER**



| | | BA1400T | BA2242T | BA2800T | BA3360T | BA4200T | BA4480T | BA5600T | BA6720T |
|--------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|------------------------|------------------------|------------------------|------------------------|
| BATT | ERY | 2.5Ah | 4.0Ah | 5.0Ah | 6.0Ah | 7.5Ah | 8.OAh | 10.0Ah | 12.0Ah |
| CAPA | CITY | 140Wh | 224Wh | 280Wh | 336Wh | 420Wh | 448Wh | 560Wh | 672Wh |
| | CH2100 | 50 MINUTES | 80 MINUTES | 100 MINUTES | 120 MINUTES | 145 MINUTES | 160 MINUTES | 190 MINUTES | 230 MINUTES |
| MES | CH2800D | 40 MINS (2 BATTERIES) | 60 MINS (2 BATTERIES) | 80 MINS (2 BATTERIES) | 90 MINS (2 BATTERIES) | 120 MINS (2 BATTERIES) | 130 MINS (2 BATTERIES) | 160 MINS (2 BATTERIES) | 180 MINS (2 BATTERIES) |
| CHARGE TIMES | CH3200 | 35 MINUTES | 55 MINUTES | 70 MINUTES | 80 MINUTES | 100 MINUTES | 105 MINUTES | 130 MINUTES | 160 MINUTES |
| E | CH5500 | 30 MINUTES | 30 MINUTES | 40 MINUTES | 45 MINUTES | 60 MINUTES | 65 MINUTES | 70 MINUTES | 90 MINUTES |
| | CH7000 | 30 MINUTES | 25 MINUTES | 30 MINUTES | 35 MINUTES | 45 MINUTES | 50 MINUTES | 60 MINUTES | 75 MINUTES |
| WEIG | HT | 2.8 LBS | 4.8 LBS | 4.9 LBS | 6.4 LBS | 6.3 LBS | 6.6 LBS | 7.7 LBS | 8.0 LBS |
| LIMIT | ED WARRANTY | 3 YEARS | 3 YEARS | 5 YEARS | 5 YEARS |

ACA1000

CHARGING ADAPTOR



BH1001

BACKPACK LINK



CHU6001

6-PORT MOBILE CHARGING CASE AND CHARGING ADAPTOR KIT



CHV1600

Z6 ZERO TURN RIDING MOWER CHARGER



SKA2800T

5.0AH BATTERY AND 210W STANDARD CHARGER KIT









ZT4205S

POWER+ 42" Z6 ZERO TURN MOWER WITH E-STEER™ TECHNOLOGY



22 HORSE-POWER 2.5 ACRES





DIGITAL DISPLAY OPTIONS 1. CRUISE CONTROL 2. MODE SELECTION 3. SPEED SELECTION 4. REVERSE



ONE BATTERY POWERS 90+TOOLS



COMBINES THE POWER OF EGO ARC LITHIUM™ **BATTERIES**



ZT5207L

POWER+ 52" Z6 ZERO TURN RIDING MOWER



ZT4204L

POWER+ 42" Z6 ZERO TURN RIDING MOWER



| | ZT5207L | ZT4205S | ZT4204L |
|------------------------------|-------------------------------|-------------------------------|-------------------------------|
| BATTERY / CHARGER | (6) 12.0Ah / 1600W | (4) 12.0Ah / 1600W | (4) 10.0Ah / 1600W |
| HORSEPOWER | 25 HP | 22 HP | 22 HP |
| WATTS / WH | 20,000 / 4,032 | 13,440 / 2,688 | 17,920 / 2,240 |
| DECK WIDTH | 52 INCH FABRICATED | 42 INCH STAMPED | 42 INCH STAMPED |
| CUT AREA | UP TO 4 ACRES | UP TO 2.5 ACRES | UP TO 2 ACRES |
| CUT HEIGHTS | 10: 1.5-4.5" | 10: 1.5-4.5" | 10: 1.5-4.5" |
| STEERING | LAP BARS | E-STEER™ | LAP BARS |
| WEATHER RESISTANCE Rating | IPX4 | IPX4 | IPX4 |
| LIMITED WARRANTY | 5-YEAR TOOL 5-YEAR BATTERY | 5-YEAR TOOL 5-YEAR BATTERY | 5-YEAR TOOL 5-YEAR BATTERY |



POWER RIDING MOWER

TR4204

POWER+ 42" T6 LAWN TRACTOR

21 HORSE-POWER LEUIVALENT 1.5 ACRES





CUSTOMIZE YOUR RIDE WITH DIGITAL DISPLAY INCLUDING:


3 BLADE SETTINGS, 3 DRIVE SPEEDS, CRUISE CONTROL





EGO ARC LITHIUM™ **BATTERIES**

| BATTERY / CHARGER | (6) 6.0Ah / 700W |
|---------------------------|-----------------------------|
| HORSEPOWER | 21 HP |
| WATTS / WH | 20,160 / 2,016 |
| DECK WIDTH | 42 INCH STAMPED |
| CUT AREA | UP TO 1.5 ACRES |
| CUT HEIGHTS | 12: 1.5-4.5" |
| WEATHER RESISTANCE RATING | IPX4 |
| LIMITED WARRANTY | 5-YEAR TOOL, 3-YEAR BATTERY |











LM2236SP

POWER+ 1000 SERIES MOWER 22" SUPER COMPOSITE DECK WITH SELECT CUT™ AND TOUCH DRIVE™ SELF-PROPELLED, 10.0Ah BATTERY AND **700W TURBO CHARGER**



LM2156SP

POWER+ 800 SERIES MOWER 21" SELECT CUT™ XP SYSTEM WITH TOUCH DRIVE™ SELF-PROPELLED, 10.0Ah BATTERY AND 700W TURBO CHARGER



LM2156SP-2 Includes (2) 10.0Ah batteries and 700W charger.

LM2135SP

POWER+ 800 SERIES MOWER 21" SELECT CUT™ SYSTEM WITH TOUCH DRIVE™ SELF-PROPELLED, 7.5Ah BATTERY AND 550W RAPID CHARGER



Additional SKU Configurations: LM2130SP Battery and charger not included. LM2132SP-2 Includes (2) 4.0Ah batteries and 550W charger.

LM2134SP-2 Includes (2) 6.0Ah batteries and 550W charger.

550W RAPID CHARGER

TORQUE

LM2135

RUNTIME

POWER+ 800 SERIES PUSH MOWER



21" SELECT CUT™ SYSTEM WITH 7.5Ah BATTERY AND



Additional SKU Configurations: LM2130 Battery and charger not included.



LM2125SP

POWER+ 600 SERIES MOWER 21" SELF-PROPELLED WITH TOUCH DRIVE™, 7.5Ah BATTERY AND 550W RAPID CHARGER



LM2120SP Battery and charger not included. LM2122SP-2 Includes (2) 4.0Ah batteries and 550W charger.

LM2123SP-2 Includes 4.0Ah and 6.0Ah battery and 550W charger.

LM2114SP

POWER+ 600 SERIES MOWER 21" SELF-PROPELLED WITH 6.0Ah BATTERY AND 320W CHARGER



Additional SKU Configurations: LM2110SP Battery and charger not included.

LM2114

POWER+ 600 SERIES PUSH MOWER 21" WITH 6.0Ah BATTERY AND 320W CHARGER



Additional SKU Configurations: LM2110 Battery and charger not included. LM2112 Includes 4.0Ah battery and 320W charger. Limited quantities of additional models available, while supplies last.

See egopowerplus.com/power-mowers for details and where to buy.

MOWER COMPARISON CHART

| | LM2206SP | LM2244SP-2 | LM2236SP | LM2156SP | LM2135SP | LM2135 | LM2125SP | LM2114SP | LM2114 |
|------------------------------|--------------------------------|--|--|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|
| BATTERY / CHARGER | 10.0Ah / 700W | (2) 6.0Ah / 550W | 10.0Ah / 700W | 10.0Ah / 700W | 7.5Ah / 550W | 7.5Ah / 550W | 7.5Ah / 550W | 6.0Ah / 320W | 6.0Ah / 320W |
| MAX CUTTING TORQUE | 11.1 FT-LBS | 10.6 FT-LBS | 10.6 FT-LBS | 8.3 FT-LBS | 7.0 FT-LBS | 7.0 FT-LBS | 6.0 FT-LBS | 6.0 FT-LBS | 6.0 FT-LBS |
| RUNTIME* | 70 MINUTES | 90 MINUTES | 75 MINUTES | 75 MINUTES | 60 MINUTES | 65 MINUTES | 60 MINUTES | 50 MINUTES | 55 MINUTES |
| DECK WIDTH | 22 INCHES | 22 INCHES | 22 INCHES | 21 INCHES | 21 INCHES | 21 INCHES | 21 INCHES | 21 INCHES | 21 INCHES |
| SELF-PROPELLED | YES | YES | YES | YES | YES | NO | YES | YES | NO |
| CUTTING SPEED CONTROL | MULTI SPEED Settings | MULTI SPEED Settings | MULTI SPEED Settings | AUTO SENSING Variable speed† |
| DECK MATERIAL | CAST ALUMINUM | SUPER COMPOSITE | SUPER COMPOSITE | POLY | POLY | POLY | POLY | POLY | POLY |
| BLADE SPEED | UP TO 3300 RPM | UP TO 3200 RPM | UP TO 3200 RPM | UP TO 2800 RPM | UP TO 2800 RPM | UP TO 2800 RPM | UP TO 2800 RPM | UP TO 2800 RPM | UP TO 2800 RPM |
| CUT-HEIGHT SETTINGS | 8 SETTINGS (1"-4") | 8 SETTINGS (1"-4") | 8 SETTINGS (1"-4") | 8 SETTINGS (1"-4") | 8 SETTINGS (1"-4") | 8 SETTINGS (1"-4") | 7 SETTINGS (1.25"-4") | 7 SETTINGS (1.25"-4") | 7 SETTINGS (1.25"-4") |
| BAG SIZE | 2.5 BUSHEL | 2.5 BUSHEL | 2.5 BUSHEL | 2 BUSHEL | 2 BUSHEL | 2 BUSHEL | 2 BUSHEL | 2 BUSHEL | 2 BUSHEL |
| MULCHING | YES; with PLUG | INTEGRATED PLUG with precision mulch control | INTEGRATED PLUG with precision mulch control | YES; with PLUG |
| SELECT CUT™ COMPATIBLE | YES | YES | YES | YES | YES | YES | NO | NO | NO |
| VERTICAL STORAGE | YES | YES | YES | YES | YES | YES | YES | YES | YES |
| WEIGHT WITHOUT Battery | 83.8 LBS | 68.5 LBS | 70.3 LBS | 54.5 LBS | 54.5 LBS | 49.4 LBS | 51.1 LBS | 50.9 LBS | 45.2 LBS |
| WEATHER Resistance rating | IPX4 | IPX4 | IPX4 | IPX4 | IPX4 | IPX4 | IPX4 | IPX4 | IPX4 |
| LIMITED WARRANTY | 5-YEAR TOOL 5-YEAR BATTERY* | 5-YEAR TOOL 3-YEAR BATTERY | 5-YEAR TOOL 3-YEAR BATTERY | 5-YEAR TOOL 5-YEAR BATTERY^ | 5-YEAR TOOL 3-YEAR BATTERY |

^{*} Runtime may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.

SELECT CUT™ **MULTI-BLADE SYSTEM**

The Select Cut™ Multi-Blade Cutting System is equipped with three interchangeable lower blades: the Mulching Blade, High Lift Bagging Blade, and Extended Runtime Blade. The Mulching Blade comes installed on the lawn mower and is ideal for weekly mulching, giving you the mulching quality expected from a high-end gas lawn mower. The High Lift Bagging Blade provides extra suction ideal for bagging, leaving your yard free of clippings. The Extended Runtime Blade provides an optimal balance of cut quality and runtime for all around performance. All three blades can be used interchangeably based on your desired cut. The Upper Blade is used in combination with the lower blade chosen to slice the grass into fine fragments, greatly enhancing cutting performance with all grass types.





[†] Auto Sensing Variable Speed delivers optimal cutting speed to maximize battery runtime while maintaining grass cutting performance.

^{*} With registration, lifetime warranty on the deck, see egopowerplus.com/warranty-policy for details.

^{*} With registration, see egopowerplus.com/warranty-policy for details.





CONTINUOUS 16" CUTTING SWATH FOR FASTER, MORE EFFICIENT TRIMMING

WORLD'S FIRST LINE IQ™ TECHNOLOGY

VARIABLE SPEED TRIGGER WITH INTEGRATED LOCK OFF

TELESCOPIC ADJUSTABLE SHAFT FOR ULTIMATE COMFORT



Additional SKU Configurations: ST1620T Battery and charger not included.

HIGH-EFFICIENCY **BRUSHLESS MOTOR**












Additional SKU Configurations: ST1500SF Battery and charger not included.



2.5Ah BATTERY & 210W CHARGER



POWERLOAD™ FEED THE LINE PUSH A BUTTON



STEP 1 Insert the line into the eyelet and push the line through until the end comes out of the opposite eyelet.



STEP 2 Pull the line from the other side until equal lengths of the line appear on both sides of the trimmer head.



STEP 3 Press and hold the line-loading button to start the line-winding motor.

STRING TRIMMER COMPARISON CHART

| | ST1623T | ST1611T | ST1511T | ST1502SA |
|-------------------------|-------------------------------|-------------------------------|-------------------------------|-----------------------------|
| CUTTING WIDTH | 16 INCHES | 16 INCHES | 15 INCHES | 15 INCHES |
| RUNTIME* | UP TO 60 MINUTES | UP TO 45 MINUTES | UP TO 45 MINUTES | UP TO 30 MINUTES |
| KITTED BATTERY | 4.0Ah | 2.5Ah | 2.5Ah | 2.5Ah |
| SPEED CONTROL | 2-SPEED VARIABLE | 2-SPEED VARIABLE | 2-SPEED VARIABLE | VARIABLE |
| NO LOAD SPEEDS | 3,500-4,800 / 4,000-5,500 RPM | 3,500-4,800 / 4,000-5,500 RPM | 3,500-4,500 / 4,000-5,800 RPM | 4,000-5,800 RPM |
| SOFT START | YES | YES | YES | YES |
| SHAFT MATERIAL | TELESCOPIC CARBON FIBER | TELESCOPIC CARBON FIBER | TELESCOPIC ALUMINUM | ALUMINUM |
| LINE DIAMETER | 0.095 INCHES | 0.095 INCHES | 0.095 INCHES | 0.095 INCHES |
| DUAL LINE | YES | YES | YES | YES |
| MOTOR TYPE | BRUSHLESS MOTOR | BRUSHLESS MOTOR | BRUSHLESS MOTOR | BRUSHLESS MOTOR |
| WEIGHT WITHOUT BATTERY | 7.5 LBS | 7.5 LBS | 7.7 LBS | 7.3 LBS |
| WATER RESISTANCE RATING | IPX4 | IPX4 | IPX4 | IPX4 |
| LIMITED WARRANTY | 5-YEAR TOOL, 3-YEAR BATTERY | 5-YEAR TOOL, 3-YEAR BATTERY | 5-YEAR TOOL, 3-YEAR BATTERY | 5-YEAR TOOL, 3-YEAR BATTERY |

^{*}Runtime may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.



LB8803-2

POWER+ 880 CFM BLOWER









SECONDARY GRIP ZONES FOR TWO-HANDED OPERATION







SHOULDER STRAP INCLUDED

HIGH EFFICIENCY BRUSHLESS MOTOR



LB7654

POWER+ 765 CFM BLOWER







VARIABLE Speed

MINUTES Runtime

5.0Ah BATTERY & 320W CHARGER



Additional SKU Configurations: LB7650 Battery and charger not included. LB7654-2 Includes (2) 5.0Ah batteries and 550W charger.

LB6504

POWER+ 650 CFM BLOWER







VARIABLE Speed

MINUTES Runtime



Additional SKU Configurations: LB6500 Battery and charger not included.

LB6703

POWER+ 670 CFM BLOWER









Additional SKU Configurations: LB6700 Battery and charger not included.

LB6151

POWER+ 615 CFM BLOWER







VARIABLE Speed

MINUTES Runtime

2.5Ah BATTERY & 210W CHARGER



Additional SKU Configurations: LB6150 Battery and charger not included. LB6153 Includes 4.0Ah battery and 210W charger.


LB5302 POWER+ 530 CFM BLOWER













BLOWER COMPARISON CHART

| | LB8803-2 | LB7654 | LB6703 | LB6504 | LB6151 | LB5302 |
|---------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|-------------------------------|
| AIR VOLUME (CFM) | UP TO 880 | UP TO 765 | UP TO 670 | UP TO 650 | UP TO 615 | UP TO 530 |
| AIR SPEED (MPH) | UP TO 200 (WITH TAPERED NOZZLE) | UP TO 200 (WITH TAPERED NOZZLE) | UP TO 180 (WITH TAPERED NOZZLE) | UP TO 180 (WITH TAPERED NOZZLE) | UP TO 170 (WITH TAPERED NOZZLE) | UP TO 130 |
| LOW SPEED RUNTIME* | UP TO 160 MINUTES | UP TO 150 MINUTES | UP TO 160 MINUTES | UP TO 200 MINUTES | UP TO 100 MINUTES | UP TO 75 MINUTES |
| HIGH SPEED RUNTIME* | UP TO 24 MINUTES | UP TO 25 MINUTES | UP TO 24 MINUTES | UP TO 30 MINUTES | UP TO 15 MINUTES | UP TO 22 MINUTES |
| TURBO RUNTIME* | UP TO 16 MINUTES | UP TO 15 MINUTES | UP TO 12 MINUTES | UP TO 15 MINUTES | UP TO 10 MINUTES | UP TO 10 MINUTES |
| KITTED BATTERY | (2) 4.0Ah | 5.OAh | 4.0Ah | 5.0Ah | 2.5Ah | 2.5Ah |
| SPEED SETTING | VARIABLE / CRUISE / Turbo | VARIABLE / Cruise control | VARIABLE / Cruise control | VARIABLE / Cruise control | VARIABLE / Cruise control | VARIABLE |
| SOUND PRESSURE | 64dB | 64dB | 64dB | 64dB | 62dB | 62dB |
| MOTOR TYPE | BRUSHLESS MOTOR | BRUSHLESS MOTOR |
| WEIGHT WITHOUT BATTERY | 4.9 LBS | 4.6 LBS | 4.8 LBS | 4.8 LBS | 4.8 LBS | 4.8 LBS |
| WEATHER RESISTANCE RATING | IPX4 | IPX4 | IPX4 | IPX4 | IPX4 | IPX4 |
| LIMITED WARRANTY | 5-YEAR TOOL 3-YEAR BATTERY | 5-YEAR TOOL 3-YEAR BATTERY |

^{*}Runtime may vary and depend on the battery used, charge level of battery, and user's operation technique.



LB6003

POWER+ 600 CFM BACKPACK BLOWER







7.5Ah BATTERY & 210W CHARGER



Additional SKU Configurations: **LB6000** Battery and charger not included. LB6004 Includes 7.5Ah battery and 550W charger.

*Runtime may vary and depend on the battery used, charge level of battery, and user's operation technique.

12.5 LBS

5-YEAR TOOL 3-YEAR BATTERY

WEIGHT WITHOUT BATTERY

LIMITED WARRANTY

WEATHER RESISTANCE RATING | IPX4



PH1420

POWER+ MULTI-HEAD POWER HEAD



PH1400 POWER+ MULTI-HEAD POWER HEAD



| | PH1400 | PH1420 |
|----------------------|------------------------|--------------------------|
| MOTOR TYPE | BRUSHLESS MOTOR | BRUSHLESS MOTOR |
| ROTATING DIRECTION | COUNTER-CLOCKWISE | COUNTER-CLOCKWISE |
| SPEED CONTROL | 2-SPEED VARIABLE | DIGITAL 2-SPEED VARIABLE |
| DRIVE SHAFT MATERIAL | 7MM SOLID STEEL | 7MM SOLID STEEL |
| DRIVE TUBE TYPE | ALUMINIUM | CARBON FIBER |
| COUPLING MECHANISM | TOOL-FREE QUICK CHANGE | TOOL-FREE QUICK CHANGE |
| WEIGHT | 5.8 LBS | 6.1 LBS |
| LIMITED WARRANTY | 5-YEAR TOOL | 5-YEAR TOOL |





DA1400

POWER+ MULTI-HEAD DETHACHER

| RUNTIME* with 2.5Ah | UP TO 17 MINUTES |
|---------------------|------------------|
| with 5.0Ah | UP TO 35 MINUTES |
| with 7.5Ah | UP TO 52 MINUTES |
| ROTATING SPEED | 3,000 RPM |
| DEPTH ADJUSTMENT | 3 LEVELS |

| COMPATIBLE BLADE | SCARIFIER (2026) |
|----------------------|------------------|
| TINE REPLACEMENT | TOOL-FREE |
| # OF TINES | 14 |
| TINE MATERIAL | STEEL |
| DRIVE SHAFT MATERIAL | SOLID STEEL |

| SHAFT MATERIAL | ALUMINUM |
|------------------|-------------|
| WEIGHT | 15.9 LBS |
| TOTAL LENGTH | 25 INCHES |
| LIMITED WARRANTY | 5-YEAR TOOL |



STA1600

POWER+ MULTI-HEAD 16" CARBON FIBER STRING TRIMMER ATTACHMENT WITH POWERLOAD™

| RUNTIME* with 2.5Ah | UP TO 18 MINUTES |
|---------------------|------------------|
| with 5.0Ah | UP TO 45 MINUTES |
| with 7.5Ah | UP TO 72 MINUTES |

| CUTTING SPEED | 5,000-6,000 RPM | |
|------------------|-----------------|--|
| CUTTING WIDTH | 16 INCHES | |
| LINE LOAD METHOD | POWERLOAD™** | |
| LINE DIAMETER | .095 INCHES | |

| SHAFT MATERIAL | CARBON FIBER |
|------------------|--------------|
| WEIGHT | 3.4 LBS |
| TOTAL LENGTH | 38 INCHES |
| LIMITED WARRANTY | 5-YEAR TOOL |



EA0820

POWER+ MULTI-HEAD CARBON FIBER EDGER ATTACHMENT

| RUNTIME* with 2.5Ah | NOT RECOMMENDED | |
|---------------------|-----------------------------------|--|
| with 5.0Ah | UP TO 60 MINUTES | |
| with 7.5Ah | UP TO 100 MINUTES | |
| CUTTING SPEED | 3,400-4,000 RPM Up to 3 inches | |
| CUTTING DEPTH | | |

| BLADE LENGTH | 8 INCHES |
|-----------------------|------------------|
| BLADE THICKNESS | 0.12 INCHES |
| BLADE ARBOR HOLE SIZE | 1 INCH |
| GUIDE WHEEL SIZE | 5" x 1.5" |
| DEBRIS GUARD MATERIAL | ALUMINUM CASTING |

| SHAFT MATERIAL | CARBON FIBER |
|------------------|--------------|
| WEIGHT | 5.0 LBS |
| TOTAL LENGTH | 36 INCHES |
| LIMITED WARRANTY | 5-YEAR TOOL |



BCA1220

12" BRUSH CUTTER ATTACHMENT

| RUNTIME* with 2.5Ah | UP TO 27 MINUTES |
|---------------------|------------------|
| with 5.0Ah | UP TO 60 MINUTES |
| with 7.5Ah | UP TO 95 MINUTES |
| CUTTING SPEED | 6.000 RPM |

| CUTTING WIDTH | 12 INCHES |
|-----------------------|--------------|
| BLADE THICKNESS | 0.098 INCHES |
| BLADE ARBOR HOLE SIZE | 1 INCH |
| DEBRIS GUARD MATERIAL | PLASTIC |

| SHAFT MATERIAL | CARBON FIBER |
|------------------|--------------|
| WEIGHT | 3.88 LBS |
| TOTAL LENGTH | 40.2 INCHES |
| LIMITED WARRANTY | 5-YEAR TOOL |



CTA9500

POWER+ MULTI-HEAD 9.5" CULTIVATOR ATTACHMENT

| RUNTIME* with 2.5Ah | UP TO 40 MINUTES | |
|---------------------|-------------------|--|
| with 5.0Ah | UP TO 80 MINUTES | |
| with 7.5Ah | UP TO 120 MINUTES | |

| CUTTING SPEED | 210-240 RPM |
|---------------|-------------------------------|
| CUTTING WIDTH | 4 BLADES: 9.5 INCHES |
| CUTTING WIDTH | 2 BLADES: 8 INCHES ADJUSTABLE |

| SHAFT MATERIAL | ALUMINUM |
|------------------|-------------|
| WEIGHT | 8.59 LBS |
| TOTAL LENGTH | 39 INCHES |
| LIMITED WARRANTY | 5-YEAR TOOL |



^{**} POWERLOAD" functionality only compatible with PH1420.

^{*} Runtime may vary and depend on the battery used, charge level of battery, and user's operation technique.

BBA2100

POWER+ MULTI-HEAD BRISTLE BRUSH ATTACHMENT

| RUNTIME* with 2.5Ah | UP TO 50 MINUTES | SPEED |
|---------------------|-------------------|-------|
| with 5.0Ah | UP TO 100 MINUTES | CLEAN |
| with 7.5Ah | UP TO 150 MINUTES | SHAFT |

| SPEED | 210-240 RPM |
|----------------|-------------|
| CLEANING WIDTH | 22 INCHES |
| SHAFT MATERIAL | ALUMINUM |

| WEIGHT | 11 LBS |
|------------------|-------------|
| TOTAL LENGTH | 40 INCHES |
| LIMITED WARRANTY | 5-YEAR TOOL |



RBA2100

POWER+ MULTI-HEAD RUBBER BROOM ATTACHMENT

| RUNTIME* with 2.5Ah | UP TO 50 MINUTES |
|---------------------|-------------------|
| with 5.0Ah | UP TO 100 MINUTES |
| with 7.5Ah | UP TO 150 MINUTES |

| SPEED | 210-240 RPM |
|----------------|-------------|
| CLEANING WIDTH | 21 INCHES |
| SHAFT MATERIAL | ALUMINUM |

| WEIGHT | 13.8 LBS |
|------------------|-------------|
| TOTAL LENGTH | 40.5 INCHES |
| LIMITED WARRANTY | 5-YEAR TOOL |



PSA1020

POWER+ MULTI-HEAD CARBON FIBER POLE SAW ATTACHMENT

| RUNTIME* with 2.5Ah | UP TO 70 CUTS |
|---------------------|----------------|
| with 5.0Ah | UP TO 140 CUTS |
| with 7.5Ah | UP TO 210 CUTS |
| CUTTING SPEED | 15 M/S |
| GUIDE BAR LENGTH | 10 INCHES |

| BLADE MATERIAL | OREGON/90PX040X |
|-------------------|-----------------|
| CUTTING DIAMETER | 8 INCHES MAX |
| CHAIN PITCH | .375 INCH |
| CHAIN GAUGE | .043 INCHES |
| OIL TANK CAPACITY | 7.4 OUNCES |

| SHAFT MATERIAL | CARBON FIBER |
|------------------|--------------|
| WEIGHT | 3.9 LBS |
| TOTAL LENGTH | 56 INCHES |
| LIMITED WARRANTY | 5-YEAR TOOL |



HTA2020

POWER+ MULTI-HEAD 20" CARBON FIBER HEDGE TRIMMER ATTACHMENT

| RUNTIME* with 2.5Ah | UP TO 37 MINUTES |
|---------------------|-------------------|
| with 5.0Ah | UP TO 82 MINUTES |
| with 7.5Ah | UP TO 122 MINUTES |
| CUTTING SPEED | 2,800-3,200 SPM |

| BLADE LENGTH | 20 INCHES |
|------------------|---------------------------------------|
| CUTTING CAPACITY | 1 INCH |
| CUTTING ANGLES | 12 FIXED POSITIONS |
| BLADE MATERIAL | DOUBLE-SIDED LASER-CUT STEEL BLADE |

| SHAFT MATERIAL | CARBON FIBER |
|------------------|--------------|
| WEIGHT | 5.1 LBS |
| TOTAL LENGTH | 63 INCHES |
| LIMITED WARRANTY | 5-YEAR TOOL |
| | |



SSA1200

POWER+ MULTI-HEAD SNOW SHOVEL ATTACHMENT

| RUNTIME* with 4.0Ah | UP TO A 4-CAR DRIVEWAY WITH 6 INCHES OF SNOW |
|-------------------------------|--|
| SPEED | 2-SPEED / VARIABLE |
| CLEARING WIDTH | 12 INCHES |
| THROWING DISTANCE | UP TO 25 FEET |
| ADJUSTABLE THROWING DIRECTION | 30° LEFT AND 30° RIGHT |

| ALUMINUM |
|-------------|
| 11.4 LBS |
| 31 INCHES |
| 5-YEAR TOOL |
| |



EP7501

POWER+ MULTI-HEAD CARBON FIBER **EXTENSION POLE**

For use with Multi-Head Pole Saw Attachments: **PSA1000**, **PSA1020** only



EP7500

POWER+ MULTI-HEAD **EXTENSION POLE ATTACHMENT**



^{*} Runtime may vary and depend on the battery used, charge level of battery, and user's operation technique.



CS2005

POWER+ 20" CORDLESS CHAIN SAW











CS1804

POWER+ 18" CORDLESS CHAIN SAW







CS1611

POWER+ 16" CHAIN SAW (40CC)













Additional SKU Configurations: CS1800 Battery and charger not included. CS1803 Includes 4.0Ah battery and 210W charger. CS1804-2 Includes two 5.0Ah batteries and 550W charger.

Additional SKU Configurations: CS1610 Battery and charger not included. CS1613 Includes 4.0Ah battery and 210W charger.

CS1604

POWER+ 16" CHAIN SAW









CS1401

POWER+ 14" CHAIN SAW
















Additional SKU Configurations: CS1600 Battery and charger not included.

CS1201

POWER+ 12" COMPACT CHAIN SAW







Additional SKU Configurations: CS1200 Battery and charger not included.

This saw is designed to work directly with only 5.0Ah battery or lower.

CHAIN SAW COMPARISON CHART

| | CS2005 | CS1804 | CS1611 | CS1604 | CS1401 | CS1201 |
|---------------------------|---|---|---|---|---|---|
| BAR & CHAIN SPECS | 20 INCH 3/8" PITCH, .050" GAUGE, 69 DRIVE LINKS | 18 INCH 3/8" PITCH, .050" GAUGE, 62 DRIVE LINKS | 16 INCH 3/8" PITCH, .043" GAUGE, 56 DRIVE LINKS | 16 INCH 3/8" PITCH, .043" GAUGE, 56 DRIVE LINKS | 14 INCH 3/8" PITCH, .043" GAUGE, 52 DRIVE LINKS | 12 INCH 3/8" PITCH, .043" GAUGE, 45 DRIVE LINKS |
| MOTOR TYPE | BRUSHLESS MOTOR |
| CC POWER EQUIVALENT | 50CC | 45CC | 40CC | 35CC | 30CC | 30CC |
| RUNTIME* | UP TO 135 CUTS (6x6 LUMBER) | UP TO 300 CUTS (4x4 LUMBER) | UP TO 130 CUTS (4x4 LUMBER) | UP TO 250 CUTS (4x4 LUMBER) | UP TO 130 CUTS (4x4 LUMBER) | UP TO 130 CUTS (4x4 LUMBER) |
| BATTERY CAPACITY | 6.0Ah | 5.0Ah | 2.5Ah | 5.0Ah | 2.5Ah | 2.5Ah |
| CHAIN SPEED | UP TO 25 M/S | UP TO 20 M/S | UP TO 20 M/S | UP TO 13.5 M/S | UP TO 13.5 M/S | UP TO 20 M/S |
| OIL RESERVOIR | 6.76 OUNCES | 7 OUNCES | 5 OUNCES | 5 OUNCES | 5 OUNCES | 5 OUNCES |
| AUTOMATIC OILING | YES | YES | YES | YES | YES | YES |
| TOOL-FREE TENSIONING | NO | YES | YES | YES | YES | YES |
| CHAIN BRAKE | YES | YES | YES | YES | YES | YES |
| WEIGHT WITHOUT BATTERY | 13.0 LBS | 9.6 LBS | 9.0 LBS | 8.5 LBS | 8.2 LBS | 5.69 LBS |
| WEATHER RESISTANCE RATING | IPX4 | IPX4 | IPX4 | IPX4 | IPX4 | IPX4 |
| LIMITED WARRANTY | 5-YEAR TOOL 3-YEAR BATTERY |


^{*}Runtime may vary depending on the charge level of the battery and user's operation technique.






PS1000 Battery and charger not included.

*Runtime may vary depending on the charge level of the battery and user's





Additional SKU Configurations: HT2600 Battery and charger not included.



POWER+ 25" HEDGE TRIMMER



Additional SKU Configurations: HT2500 Battery and charger not included.

HT2411

POWER+ BRUSHLESS HEDGE TRIMMER



STROKES Per minute







Additional SKU Configurations: HT2410 Battery and charger not included.

| | HT2601 | HT2501 | HT2411 |
|--------------------------------------|-------------------------------|--|------------------------------|
| BLADE LENGTH | 26 INCHES | 25 INCHES | 24 INCHES |
| BLADE GAP | 1.2 INCHES | 1.25 INCHES | 1 INCH |
| RUNTIME* with included 2.5Ah battery | UP TO 60 MINUTES | UP TO 40 MINUTES | UP TO 75 MINUTES |
| SPEED CONTROL | SINGLE SPEED | 2-SPEED SETTING (HIGH/LOW) | SINGLE SPEED |
| NO LOAD SPEEDS | 3,400 SPM | 2,800/3,200 SPM | 3,000 SPM |
| BLADE TYPE | DIAMOND GROUND CUTTING BLADES | LASER CUT, DIAMOND GROUND CUTTING BLADES | HARDENED STEEL CUTTING BLADE |
| CUTTING ACTION | DOUBLE-SIDED CUTTING BLADE | DOUBLE-SIDED CUTTING BLADE | DOUBLE-SIDED CUTTING BLADE |
| WEIGHT WITHOUT BATTERY | 6.92 LBS | 8.4 LBS | 6.16 LBS |
| WEATHER RESISTANCE RATING | IPX4 | IPX4 | IPX4 |
| LIMITED WARRANTY | 5-YEAR TOOL, 3-YEAR BATTERY | 5-YEAR TOOL, 3-YEAR BATTERY | 5-YEAR TOOL, 3-YEAR BATTERY |

^{*}Runtime may vary and depend on the battery used, charge level of battery, and user's operation technique.



EG0803

POWER+ EARTH AUGER





TORQUE

4.0Ah BATTERY & 320W CHARGER

| BATTERY / CHARGER | 4.0Ah / 320W |
|-----------------------------|-------------------------------|
| TORQUE | UP TO 65 FT-LBS |
| RUNTIME with included 4.0Ah | UP TO 50+ HOLES |
| MOTOR | BRUSHLESS MOTOR |
| SHAFT SPEED | HIGH: 210 RPM LOW: 150 RPM |
| CUTTING DIAMETER | 8 INCHES |
| AUGER BIT LENGTH | 32 INCHES |
| WEIGHT WITHOUT BATTERY | 33 LBS |
| WEATHER RESISTANCE RATING | IPX4 |
| LIMITED WARRANTY | 5-YEAR TOOL 3-YEAR BATTERY |



Additional SKU Configurations: **EG0800** Battery and Charger not included.

IG0804 POWER+ ICE AUGER





TORQUE

5.0Ah BATTERY & 320W CHARGER

| BATTERY / CHARGER | 5.0Ah / 320W |
|-----------------------------|-------------------------------|
| TORQUE | UP TO 65 FT-LBS |
| RUNTIME with included 5.0Ah | UP TO 2,500 INCHES |
| MOTOR | BRUSHLESS MOTOR |
| SHAFT SPEED | HIGH: 210 RPM LOW: 150 RPM |
| CUTTING DIAMETER | 8 INCHES |
| AUGER BIT LENGTH | 39 INCHES |
| WEIGHT WITHOUT BATTERY | 30 LBS |
| WEATHER RESISTANCE RATING | IPX4 |
| LIMITED WARRANTY | 5-YEAR TOOL 3-YEAR BATTERY |

HIGH AND LOW SPEEDS PLUS REVERSE FUNCTION ALLOW EFFICIENT DIGGING CUTS UP TO 2,500 INCHES OF ICE ON A SINGLE CHARGE WITH THE INCLUDED 56V 5.0AH ARC LITHIUM™ BATTERY HIGH-EFFICIENCY Brushless motor Delivers 65 FT-LBS of UNIVERSAL 7/8" BIT CONNECTION COMPATIBLE WITH ICE AND EARTH BITS TORQUE TO DRILL THROUGH THE THICKEST ICE FOR ADDED VERSATILITY ANTI-KICKBACK Protection safeguards ERGONOMIC HANDLE DESIGN MAKES
THE AUGER EASY
TO MANEUVER AND FROM UNEXPECTED JAMS **IMPROVES SAFETY** 8" ICE AUGER DRILL BIT INCLUDED

Additional SKU Configurations: **IGO800** Battery and Charger not included.



HPW2105

POWER+ 2100PSI PRESSURE WASHER





| BATTERY / CHARGER | 6.0Ah / 320W |
|-----------------------------|-------------------------------|
| PSI | 2100 MAX |
| GPM | 1.2 MAX |
| RUNTIME with included 6.0Ah | UP TO 30 MINUTES |
| MOTOR | BRUSHLESS MOTOR |
| INCLUDED NOZZLES | TURBO 15° 40° |
| WEIGHT WITHOUT BATTERY | 15 LBS |
| WEATHER RESISTANCE RATING | IPX4 |
| LIMITED WARRANTY | 5-YEAR TOOL 3-YEAR BATTERY |

Includes flexible high-pressure hose, siphon hose, pressure washer gun, stainless steel wand, foam cannon, filter

GARDEN HOSE AND FRESH WATER ACCESS



Additional SKU Configurations: **HPW2100** Battery and Charger not included.



HPW3204-2

POWER+ 3200PSI PRESSURE WASHER





BATTERY / CHARGER (2) 6.0Ah / 320W PSI 3200 MAX GPM 1.2/2.0 MAX RUNTIME with two included 6.0Ah UP TO 60 MINUTES MOTOR **BRUSHLESS MOTOR** INCLUDED NOZZLES TURBO 15° 25° 40° RINSE WEIGHT WITHOUT BATTERY 36.2 LBS WEATHER RESISTANCE RATING IPX4 LIMITED WARRANTY 5-YEAR TOOL 3-YEAR BATTERY Includes flexible high-pressure hose, siphon hose,

quick-connect short pressure washer gun, quick-connect wand lance, stainless steel wand, foam cannon, and filter.

QUICK CONNECTION POINTS FOR HOSE AND WAND ALLOW EASY SETUP AND BREAKDOWN

SELECT ECO, HIGH, AND TURBO Modes and view battery CHARGE STATUS WIRELESSLY WITH WAND-INTEGRATED DISPLAY UP TO 60 MINUTES OF RUNTIME ON A SINGLE CHARGE WITH TWO INCLUDED 6.0AH ARC LITHIUM™ BATTERIES WAND STORAGE CONNECT TO GARDEN HOSE OR DRAW FROM ANY FRESH WATER SOURCE WITH INCLUDED SIPHON HOSE 7.25" WHEELS 3200 PSI FOR POWERFUL AND EFFICIENT CLEANING

TELESCOPIC HANDLE PULLS OUT FOR EASY TRANSPORT AND COLLAPSES FOR COMPACT STORAGE

Additional SKU Configurations: HPW3200 Battery and Charger not included.

BRUSHLESS MOTOR DELIVERS 110 CFM OF POWERFUL SUCTION FOR 100-INCH WATER LIFT

WDV0904

POWER+ 9 GALLON WET/DRY VACUUM





5.0Ah BATTERY & 320W CHARGER

| BATTERY / CHARGER | 5.0Ah / 320W |
|-----------------------------|--|
| CFM | 110 MAX |
| RUNTIME with included 5.0Ah | UP TO 60 MINUTES |
| SUCTION POWER (WATER LIFT) | 100 INCH MAX |
| MOTOR | BRUSHLESS MOTOR |
| TANK SIZE | 9 GALLON |
| INCLUDED ACCESSORIES | DUST BAG EXTENSION TUBE (2X) CREVICE NOZZLE ROUND BRUSH DUST NOZZLE LARGE FLOOR NOZZLE RUBBER BAR COMPACT FLOOR NOZZLE VACUUM HOSE REMOTE CONTROL CHARGING CABLE FOR REMOTE POWER TOOL ADAPTER |
| WEIGHT WITHOUT BATTERY | 26.7 LBS |
| WEATHER RESISTANCE RATING | IPX4 |
| LIMITED WARRANTY | 5-YEAR TOOL |





FILTER CLEANING FUNCTION KEEPS WET/DRY VACUUM FILTER CLEAN FOR MAXIMUM SUCTION AND EFFICIENCY


3-YEAR BATTERY

WIRELESS REMOTE

- LED LIGHT
- ENABLES TURBO MODE
- START/STOP
- CHARGED VIA USB-C

Additional SKU Configurations: WDV0900 Battery and Charger not included.







BSP3500

POWER+ BACKPACK SPRAYER





SK1800

POWER+ 180W OUTDOOR BLUETOOTH SPEAKER







PREMIUM SOUND Performance

HOURS Runtime

100W USB-C PD IN/OUT




180W OUTPUT 7 SPEAKERS

USER INTERFACE – POWER VOLUME BLE PAIRING SPEAKER PAIRING BASS BOOST

| BATTERY / CHARGER | TOOL ONLY |
|----------------------------|---|
| SPEAKER OUTPUT | 180W |
| RUNTIME with 5.0Ah battery | UP TO 50 HOURS |
| BLE VERSION | 5.3 |
| CONNECT RANGE | 180 FEET |
| SPEAKER PAIRING | UP TO 100 DEVICES |
| BLE QUALITY | TWS (TRUE WIRELESS STEREO) |
| SPEAKERS | 1x WOOFERS 2x Mid Range 2x Tweeters 2x Passive Radiators |
| PORTS | 100W PD TYPE-C IN/OUT, USB-A, AUX |
| WEIGHT WITHOUT BATTERY | 17 LBS |
| IP RATING | IP54 |
| LIMITED WARRANTY | 5-YEAR TOOL |





LT0300

POWER+ COMPACT AREA LIGHT











| BATTERY / CHARGER | TOOL ONLY |
|-----------------------------------|---------------|
| LUMENS | 500 - 3,000 |
| COLOR TEMPERATURE (KELVIN) | 2700K - 5500K |
| RUNTIME on low with 5.0Ah battery | 60 HOURS |
| BRIGHTNESS | 5 SETTINGS |
| WEIGHT WITHOUT BATTERY | 4 LBS |
| WEATHER RESISTANCE RATING | IPX4 |
| LIMITED WARRANTY | 5-YEAR TOOL |









COMBINES THE POWER OF TWO OR MORE EGO ARC LITHIUM™ BATTERIES

Additional SKU Configurations: MB1000 Battery and Charger not included.

| TOP SPEED | 28 MPH |
|---------------------------|----------------|
| MOTOR POWER | 1000W RATED |
| RANGE* | UP TO 20 MILES |
| WEIGHT WITHOUT BATTERY | 140 LBS |
| WEATHER RESISTANCE RATING | IPX4 |
| LIMITED WARRANTY | 1 YEAR |
| | |

^{*}Range may vary and depend on the battery used, charge level of battery, and user's operation technique.



PAD1800

POWER+ NEXUS ESCAPE 180W INVERTER

Pure sine wave delivers high-quality, clean power to sensitive electronics



PAD5000

POWER+ NEXUS ESCAPE 400W INVERTER

Power up to four total devices simultaneously or charge your 56V EGO Battery



Additional SKU Configurations:

PAD5003 Includes 4.0Ah battery and 100W USB-C PD charger.

| | PAD1800 | PAD5000 |
|----------------|------------------------------------|--|
| POWER OUTPUT | 180W CONTINUOUS 300W PEAK | 400W CONTINUOUS 800W PEAK |
| WAVE | PURE SINE | PURE SINE |
| OUTLETS | 120V AC | 120V AC |
| PORTS | USB-C PD ONT (100W) USB-A (12W) | USB-C PD IN/OUT (100W) USB-C (18W) USB-A (18W) |
| BUILT IN LIGHT | YES | YES |
| WARRANTY | 5-YEAR TOOL | 5-YEAR TOOL |

PST3042

POWER+ NEXUS PORTABLE **POWER STATION**

World's first battery power source to match gas generators

| BATTERY | (2) 7.5Ah |
|---------------------------|-------------------------------------|
| POWER OUTPUT | 2000W CONTINUOUS 3000W PEAK |
| OUTLETS | (3) 120V AC |
| PORTS | (4) USB-A |
| DISPLAY | BRIGHT LED DISPLAY SHOWS RUNTIME |
| CONSTRUCTION | ROBUST STEEL HANDLES |
| BATTERY CHARGER | 4 PORTS (WHEN PLUGGED IN) |
| USAGE | INDOOR AND OUTDOOR |
| WEATHER RESISTANCE RATING | IPX4 |
| LIMITED WARRANTY | 5-YEAR TOOL 3-YEAR BATTERY |

Additional SKU Configurations: **PST3040** Power Station only PST3041 Includes (4) 5.0Ah batteries




CH1800

POWER+ NEXUS SOLAR PANEL CHARGER

The EGO Solar Panel Charger is the only charger approved for use with the EGO Nexus Power Station.






SP1000

POWER+ 100W SOLAR PANEL

Turn solar energy into clean, renewable power with the EGO POWER+ 100W Solar Panel.



SP2000

POWER+ 200W SOLAR PANEL

Turn solar energy into clean, renewable power with the EGO POWER+ 200W Solar Panel















2-IN-1 CHUTE ADJUSTMENT LEVER

Additional SKU Configurations: SNT2410 Battery and Charger not included.









SNT2134

POWER+ 21" SINGLE-STAGE SNOW BLOWER WITH PEAK POWER™



ADJUSTABLE SKID SHOES





21" CLEARING WIDTH

13" INTAKE HEIGHT

Additional SKU Configurations: SNT2130 Battery and Charger not included.

SNT2125AP

POWER+ AUGER-PROPELLED SNOW BLOWER







DISTANCE

(2) 7.5Ah BATTERIES & DUAL PORT CHARGER







CLEARS UP TO A 16-CAR DRIVEWAY WITH 8" OF SNOW with included (2) 7.5Ah ARC Lithium™ batteries







Additional SKU Configurations: SNT2110 Battery and charger not included. SNT2114 Includes (2) 7.5Ah batteries and DUAL PORT charger.





SNT2102

POWER+ SNOW BLOWER WITH PEAK POWER™







(2) 5.0Ah BATTERIES & 550W CHARGER

Additional SKU Configurations: SNT2100 Battery and charger not included. SNT2101 Includes (2) 4.0Ah batteries and 320W charger.



SNS1201

POWER+ 12" SNOW SHOVEL







Additional SKU Configurations: SNS1200 Battery and charger not included.



CLEARS UP TO A 3-CAR DRIVEWAY WITH 6" OF SNOW with included 2.5Ah ARC Lithium™ battery



MSS1203

POWER+ MULTI-HEAD SNOW SHOVEL



SYSTEM





with included 4.0Ah ARC Lithium™ battery

25° DIRECTIONAL Throwing distance

SNOW BLOWER COMPARISON CHART

| | SNT2807 | SNT2416 | SNT2405 | SNT2134 | SNT2125AP | SNT2112 | SNT2102 | SNS1201 | MSS1203 | |
|---|---|---|--|--|---|---|---|--|--|--|
| BATTERY / | (2) 12.0Ah / | (2) 10.0Ah / | (2) 7.5Ah / | (2) 6.0Ah / | (2) 7.5Ah / | (2) 5.0Ah / | (2) 5.0Ah / | 2.5Ah / | 4.0Ah / | |
| CHARGER | DUAL PORT | DUAL PORT | DUAL PORT | DUAL PORT | DUAL PORT | DUAL PORT | 550W | 2.5AII / 210W | 320W | |
| STAGE | | DUAL | | | SII | NGLE | | SH | OVEL | |
| CLEARING CAPACITY* | UP TO A 32 CAR DRIVEWAY 8 INCHES SNOW | UP TO A 24 CAR DRIVEWAY 8 INCHES SNOW | UP TO AN 18 CAR DRIVEWAY 8 INCHES SNOW | UP TO A 14 CAR DRIVEWAY 8 INCHES | UP TO A 16 CAR DRIVEWAY 8 INCHES SNOW | UP TO A 12 CAR DRIVEWAY 8 INCHES SNOW | UP TO A 10 CAR DRIVEWAY 8 INCHES SNOW | UP TO A 3 CAR DRIVEWAY 6 INCHES SNOW | UP TO A 4 CAR DRIVEWAY 6 INCHES SNOW | |
| CLEARING WIDTH | 28 INCHES | 24 11 | ICHES | | 21 II | ICHES | | 12 11 | 12 INCHES | |
| INTAKE HEIGHT | 21 INCHES | 20 11 | ICHES | | 13 II | NCHES | | 6 IN | CHES | |
| THROWING DISTANCE | UP TO 60 FEET | UP TO 50 FEET | UP TO 50 FEET | UP TO 45 FEET | UP TO 45 FEET | UP TO 40 FEET | UP TO 35 FEET | UP TO 25 FEET | UP TO 25 FEET | |
| PROPULSION | SELF-PROPEL | SELF-PROPEL | SELF-PROPEL | PUSH | AUGER PROPEL | PUSH | PUSH | PUSH | PUSH | |
| AUGER MATERIAL | STEEL | STEEL | STEEL | STEEL | HEAVY DUTY Rubber Tipped Metal Frame | STEEL | RUBBER TIPPED, Metal Frame | IMPACT RESISTANT PLASTIC | IMPACT Resistant Plastic | |
| CHUTE DIRECTION (D) PITCH CONTROLS (P) | ELECTRONIC 2-IN-1 JOYSTICK (D and P) | 2-IN-1 JOYSTICK (D and P) | DUAL REMOTE LEVERS (D and P) | DUAL REMOTE LEVERS | REMOTE DIRECTION ONLY | REMOTE DIRECTION ONLY | REMOTE DIRECTION ONLY | MANUAL DIAL | MANUAL DIAL | |
| CHUTE RADIUS | 200° | 200° | 200° | 180° | 180° | 180° | 180° | 60° | 60° | |
| HEATED HANDLES | YES | YES | NO | YES | YES | NO | NO | NO | NO | |
| WHEEL SIZE | 16" x 5" | 15" x 3.5" | 15" x 3.5" | 9" | 7.13" | 7.13" | 7.13" | 7.13" | 7.13" | |
| LED HEADLIGHTS | YES | YES | YES | YES | YES | YES | YES | NO | NO | |
| COMPACT STORAGE | NO | NO | NO | YES | YES | YES | YES | YES | YES | |
| HEIGHT ADJUST HANDLE | YES | YES | YES | YES | NO | NO | NO | NO | NO | |
| BARE TOOL WEIGHT | 181 LBS | 147 LBS | 150 LBS | 66 LBS | 50.6 LBS | 50.6 LBS | 50.7 LBS | 14 LBS | 28 LBS | |
| WEATHER RATING | IPX4 | IPX4 | IPX4 | IPX4 | IPX4 | IPX4 | IPX4 | IPX4 | IPX4 | |
| LIMITED WARRANTY | 5-YEAR TOOL 5-YEAR BATTERY* | 5-YEAR TOOL 5-YEAR BATTERY* | 5-YEAR TOOL 3-YEAR BATTERY | 5-YEAR TOOL 3-YEAR BATTERY | 5-YEAR TOOL 3-YEAR BATTERY | 5-YEAR TOOL 3-YEAR BATTERY | 5-YEAR TOOL 3-YEAR BATTERY | 5-YEAR TOOL 3-YEAR BATTERY | 5-YEAR TOOL 3-YEAR BATTERY | |

^{*} Clearing capacity based on batteries included with kit and may vary based on charge level of battery, condition of snow, and user's operation technique.

* With registration, 5-year limited tool warranty, 5-year limited battery warranty, see egopowerplus.com/warranty-policy for details.



ACCESSORIES

RIDING MOWER ACCESSORIES

AB4200D

42" Riding Mower Replacement Blade Set



AMB1000

Z6 Zero Turn Riding Mower Rear Bumper



AB4201D

42" Riding Mower High-Lift Bagging Blade Set



AMG1000

Z6 Zero Turn Riding Mower **Onboard Storage Bin**



AB5200D

52" Z6 Zero Turn Riding Mower Replacement Blade Set



AMP4200

42" Riding Mower Mulch Plug



AB5201D

52" Z6 ZTR Mower High-Lift Bagging Blade Set



AMS1000

Z6 Zero Turn Riding Mower Sun Shade



ABK4200

Z6 Zero Turn Riding Mower Bagger Kit



UNIVERSAL RIDING MOWER ACCESSORIES

ADT1000

Riding Mower Tow Behind **Utility Cart**



ABK4200T

42" T6 Lawn Tractor Bagging Kit



ABK5200

Z6 52" Zero Turn Riding Mower Bagger Kit



CRM001

42" Zero Turn Riding Mower Cover



ABP5200

52" Z6 Zero Turn Riding Mower Mulch Plug



RIDING MOWER ACCESSORIES COMPATIBILITY MATRIX

| | E-STEER | LAP BAR | | TRACTOR |
|---|---------|---------|---------|---------|
| | ZT4205S | ZT5207L | ZT4204L | TR4204 |
| AB4200D 42" Riding Mower Replacement Blade Set | • | | • | • |
| AB4201D 42" Riding Mower High-Lift Bagging Blade Set | • | | • | • |
| AB5200D 52" Z6 Zero Turn Riding Mower Replacement Blade Set | | • | | |
| AB5201D 52" Z6 ZTR Mower High-Lift Bagging Blade Set | | • | | |
| ABK4200 Z6 Zero Turn Riding Mower Bagger Kit | • | | • | |
| ABK4200T 42" T6 Lawn Tractor Bagging Kit | | | | • |
| ABK5200 26 52" Zero Turn Riding Mower Bagger Kit | | • | | |
| ABP5200 52" Z6 Zero Turn Riding Mower Mulch Plug | | • | | |
| AMB1000 Z6 Zero Turn Riding Mower Rear Bumper | • | • | • | |
| AMG1000 Z6 Zero Turn Riding Mower Onboard Storage Bin | • | • | • | • |
| AMP4200 42" Riding Mower Mulch Plug | • | | • | • |
| AMS1000 Z6 Zero Turn Riding Mower Sun Shade | • | • | • | • |
| ADT1000 Riding Mower Tow Behind Utility Cart | • | • | • | • |
| CRM001 42" Zero Turn Riding Mower Cover | • | • | • | • |



ACCESSORIES

MOWER ACCESSORIES

AB2000

20" Mower Blade



AB2103

21" Mower High-Lift Blade



AB2001

20" High-Lift Mower Blade



AB2200D

High-Performance Blade Set



AB2100

21" Mower Blade



AB2201D

High-Lift Bagging Blade Set



AB2100D

Extended Run Time Blade Set



AB2211D

22" Super Composite Mower High-Performance Blade Set



AB2101

21" High-Lift Mower Blade



AB2212D

22" Super Composite Mower High-Lift Bagging Blade Set



AB2101D

Mulching Blade Set



CM001

Mower Cover



AB2102

21" Mower Blade



AB2102D

High-Lift Bagging Blade Set



MOWER ACCESSORIES COMPATIBILITY MATRIX

| | 1100 Series | 1000 Series | | 800 Series | | | 600 Series | | |
|--|----------------------|------------------------|----------|------------------------------------|--|------------------|--|----------------------|----------------------------|
| | LM2206SP LM2200SP | LM2244SP-2 LM2240SP | LM2236SP | LM2156SP LM2150SP LM2156SP-2 | LM2135SP LM2130SP LM2132SP-2 LM2134SP-2 | LM2135 LM2130 | LM2125SP LM2120SP LM2122SP-2 LM2123SP-2 | LM2114SP LM2110SP | LM2114 LM2110 LM2112 |
| AB2100D Extended Run Time Blade Set | | | | • | • | • | | | |
| AB2101 21" High-Lift Mower Blade | | | | | | | | | |
| AB2101D Mulching Blade Set | | | | • | • | • | | | |
| AB2102 21" Mower Blade | | | | | | | • | • | • |
| AB21020 High-Lift Bagging Blade Set | | | | • | • | • | | | |
| AB2103 21" Mower High-Lift Blade | | | | | | | • | • | • |
| AB2200D High-Performance Blade Set | • | | | | | | | | |
| AB2201D High-Lift Bagging Blade Set | • | | | | | | | | |
| AB2211D 22" Super Composite Mower High-Performance Blade Set | | • | • | | | | | | |
| AB2212D 22" Super Composite Mower High-Lift Bagging Blade Set | | • | • | | | | | | |
| CM001 Mower Cover | | | | • | • | • | • | • | • |



ACCESSORIES

STRING TRIMMER ACCESSORIES

AH1300

15" Bump String Trimmer Replacement Head



AH1520

15" POWERLOAD™ String Trimmer Replacement Head



AH1522

15" POWERLOAD™ String Trimmer Replacement Head



AH1530

15" Rapid Reload+ String Trimmer Replacement Head



AH1531

15" Rapid Reload+ String Trimmer Replacement Head



AH1620

16" LINE IQ™ String Trimmer Replacement Head



AS1300

15" String Trimmer Replacement Spool



UNIVERSAL TRIMMER ACCESSORIES

AL2420P

Pre-Cut **Twisted Trimmer Line** 0.095" x 14' / 5 pre-cut coils



AL2420PB

Premium Pre-Cut **Twisted Trimmer Line** 0.095" x 14' / 5 pre-cut coils



AL2420PD

Dual Color Pre-Cut Twisted Trimmer Line 0.095" x 14' / 5 pre-cut coils



AL2438

High-Performance Twisted Trimmer Line 0.095" x 125'



AL2450S

Twisted Trimmer Line 0.095" x 164'



AL2470B

Premium Twisted Trimmer Line 0.095" x 230'



STRING TRIMMER ACCESSORIES COMPATIBILITY MATRIX

| | LINE | IQ™ | POWERLOAD"* | | | | RAPID RELOAD | | DISCONTINUED | |
|--|--------------------|--------------------|--------------------|--------------------|--------------------------------|-------------------------------|--|---------|--------------|--------|
| | ST1623T ST1620T | MST1700 MST1704 | STA1600 MST1603 | ST1611T ST1610T | ST1511T ST1510T ST6151LB | ST1523S ST1521S ST1520S | ST1502SA ST1500SF ST1502LB ST1503LB | STA1500 | ST1500 | ST1530 |
| AH1300 15" Bump String Trimmer Replacement Head | | | | | | | • | | • | |
| AH1520 15" POWERLOAD™ String Trimmer Replacement Head | | | | • | | • | | | | |
| AH1522 15" POWERLOAD™ String Trimmer Replacement Head | | | | | • | | | | | |
| AH1530 15" Rapid Reload+ String Trimmer Replacement Head | | | | | | | • | | | |
| AH1531 15" Rapid Reload+ String Trimmer Replacement Head | | | | | | | | • | | • |
| AH1620 16" LINE IQ™ String Trimmer Replacement Head | • | | | | | | | | | |
| AS1300 15" String Trimmer Replacement Spool | | | | | | | | | • | |
| AL2420P Pre-Cut Twisted Trimmer Line 0.095" x 14' / 5 pre-cut coils | • | • | • | • | • | • | • | • | • | • |
| AL2420PB Premium Pre-Cut Twisted Trimmer Line 0.095" x 14' / 5 pre-cut coils | • | • | • | • | • | • | • | • | • | • |
| AL2420PD Dual Color Pre-Cut Twisted Trimmer Line 0.095" x 14" / 5 pre-cut coils | • | • | • | • | • | • | • | • | • | • |
| AL2438 High-Performance Twisted Trimmer Line 0.095" x 125' | • | • | • | • | • | • | • | • | • | • |
| AL2450S Twisted Trimmer Line 0.095" x 164' | • | • | • | • | • | • | • | • | • | • |
| AL2470B Premium Twisted Trimmer Line 0.095" x 230' | • | • | • | • | • | • | • | • | • | • |



ACCESSORIES

BLOWER ACCESSORIES

AGC1000

Gutter Attachment



ANGOOOR

Tapered Blower Nozzle



AN5300

Blower Nozzle



AST2000

Short Tube Attachment



AN5801

Blower Spread Nozzle



UNIVERSAL BLOWER ACCESSORIES

AN6000F

Flat Blower Nozzle



AP1500

Shoulder Strap



BLOWER ACCESSORIES COMPATIBILITY MATRIX

| | 530 CFM | 600 CFM | 615 CFM | 650 CFM | 670 CFM | 765 CFM | 880 CFM |
|---------------------------------------|--|------------------|--|------------------|------------------|--|--------------------|
| | LB5300 LB5302 ST1502LB ST1503LB | LB6000 LB6003 | LB6150 LB6151 LB6153 ST6151LB | LB6500 LB6504 | LB6700 LB6703 | LB7650 LB7654 LB7654-2 LB7654-P | LB8800 LB8803-2 |
| AGC1000 Gutter Attachment | • | | • | • | • | • | • |
| AN5300 Blower Nozzle | • | | | | | | |
| AN5801 Blower Spread Nozzle | | | • | • | • | | |
| ANGOOOF Flat Blower Nozzle | | | • | • | • | | |
| ANGOOOR Tapered Blower Nozzle | | | • | • | • | | |
| AST2000 Short Tube Attachment | • | | • | • | • | • | • |
| AP1500 Shoulder Strap | • | • | • | • | • | • | • |



ACCESSORIES

CHAIN/POLE SAW ACCESSORIES

AC1000

Multi-Head System Pole Saw Chain



AC1000Q

10" Pole Saw Chain



AC1204

12" Compact Chain Saw Chain



AC1400

14" Chain Saw Chain



AC1600

16" Chain Saw Chain



AC1800

18" Chain Saw Chain



AC2005

20" Chain Saw Chain



AG1000

Multi-Head System 10" Pole Saw Bar



AG1000Q

10" Pole Saw Bar



AG1400

14" Chain Saw Guide Bar



AG1600

16" Chain Saw Guide Bar



AG1800

18" Chain Saw Guide Bar



AK1204

12" Compact Chain Saw Bar & Chain Kit



AK1800

18" Chain Saw Bar & Chain Kit



AK2005

20" Chain Saw Bar & Chain Kit



BCS1000

Chain Saw Bag



UNIVERSAL CHAIN/POLE SAW ACCESSORIES

AOL1000

128 FL OZ Premium Bar & Chain Lubricant



AOL3200

32 FL OZ Premium Bar & Chain Lubricant



CHAIN/POLE SAW ACCESSORIES COMPATIBILITY MATRIX

| | 10 | " | 12" | 14" | 10 |)" | 18" | 20" |
|---|------------------|--------------------|------------------|----------------------------|------------------|----------------------------|--|------------------|
| | PS1000 PS1001 | PSA1000 MPS1001 | CS1200 CS1201 | CS1400 CS1401 CS1403 | CS1600 CS1604 | CS1610 CS1611 CS1613 | CS1800 CS1803 CS1804 CS1804-2 | CS2000 CS2005 |
| AC1000 Multi-Head System Pole Saw Chain | | • | | | | | | |
| AC1000Q 10" Pole Saw Chain | • | | | | | | | |
| AC1204 12" Compact Chain Saw Chain | | | • | | | | | |
| AC1400 14" Chain Saw Chain | | | | • | | | | |
| AC1600 16" Chain Saw Chain | | | | | • | • | | |
| AC1800 18" Chain Saw Chain | | | | | | | • | |
| AC2005 20" Chain Saw Chain | | | | | | | | • |
| AG1000 Multi-Head System 10" Pole Saw Bar | | • | | | | | | |
| AG1000Q 10" Pole Saw Bar | • | | | | | | | |
| AG1400 14" Chain Saw Guide Bar | | | | • | | | | |
| AG1600 16" Chain Saw Guide Bar | | | | | • | • | | |
| AG1800 18" Chain Saw Guide Bar | | | | | | | • | |
| AK1204 12" Compact Chain Saw Bar & Chain | | | • | | | | | |
| AK1800 18" Chain Saw Bar & Chain | | | | | | | • | |
| AK2005 20" Replacement Bar & Chain | | | | | | | | • |
| BCS1000 Chain Saw Bag | | | • | • | • | • | • | |
| AOL1000 128 FL OZ Premium Bar & Chain Lubricant | • | • | • | • | • | • | • | • |
| AOL3200 32 FL OZ Premium Bar & Chain Lubricant | • | • | • | • | • | • | • | • |



ACCESSORIES

SNOW BLOWER ACCESSORIES

ACT2400

Chute Cleaning Tool



ADC2400

Drift Cutters



AKS2130D

Single-Stage Snow Blower Skid Shoes (Pair)



AKS2400D

Snow Blower Skid Shoes



AKS2800D

2-Stage Snow Blower Skid Shoes (Pair)



ARP2100

Snow Blower Paddle



ARP2101

Snow Blower Paddle



ARP2120

Auger-Propelled Snow Blower Rubber Paddle Set



ASP2400

Snow Blower Shear Pins (1-Pack)



ASP2400D

Snow Blower Shear Pins (2-Pack)



ASS1200

12" Snow Shovel Scraper Bar



ASS2100

Snow Blower Scraper Bar



ASS2120

Auger-Propelled Snow Blower Scraper Bar



ASS2130

21" Single-Stage Snow Blower Scraper Bar



ASS2400

2-Stage Snow Blower Scraper Bar



ASS2800

28" 2-Stage Snow Blower Scraper Bar



AVB1200

12" Snow Shovel Belt



AVB2120

Auger-Propelled Snow Blower Belt



AVB2306

Snow Blower Belt



CB002

Snow Blower Cover



CB003

2-Stage Snow Blower Cover



CB004

2-Stage Snow Blower Cover



SNOW ACCESSORIES COMPATIBILITY MATRIX

| | 12 |)II | | 2: | " | | 24 | ." | 28" |
|---|---------|--------------------|-------------------------------|-------------------------------|------------------------|--------------------|---------------------------------|--------------------|--------------------|
| | MSS1203 | SNS1200 SNS1201 | SNT2100 SNT2101 SNT2101 | SNT2110 SNT2112 SNT2114 | SNT2120AP SNT2125AP | SNT2130 SNT2134 | SNT2400 SNT2405 SNT2406-4 | SNT2410 SNT2416 | SNT2800 SNT2807 |
| ACT2400 Chute Cleaning Tool | | | | | | | • | • | • |
| ADC2400 Drift Cutters | | | | | | | • | • | • |
| AKS2130D Single-Stage Snow Blower Skid Shoes (Pair) | | | | | | • | | | |
| AKS2400D Snow Blower Skid Shoes | | | | | | | • | • | |
| AKS2800D 2-Stage Snow Blower Skid Shoes (Pair) | | | | | | | • | • | • |
| ARP2100 Snow Blower Paddle | | | • | | | | | | |
| ARP2101 Snow Blower Paddle | | | | • | | | | | |
| ARP2120 Auger-Propelled Snow Blower Rubber Paddle Set | | | | | • | | | | |
| ASP2400 Snow Blower Shear Pins (1-Pack) | | | | | | | • | • | • |
| ASP2400D Snow Blower Shear Pins (2-Pack) | | | | | | | • | • | • |
| ASS1200 12" Snow Shovel Scraper Bar | • | • | | | | | | | |
| ASS2100 Snow Blower Scraper Bar | | | • | • | | | | | |
| ASS2120 Auger-Propelled Snow Blower Scraper Bar | | | | | • | | | | |
| ASS2130 21" Single-Stage Snow Blower Scraper Bar | | | | | | • | | | |
| ASS2400 2-Stage Snow Blower Scraper Bar | | | | | | | • | • | |
| ASS2800 28" 2-Stage Snow Blower Scraper Bar | | | | | | | | | • |
| AVB1200 12" Snow Shovel Belt | | • | | | | | | | |
| AVB2120 Auger-Propelled Snow Blower Belt | | | | | • | | | | |
| AVB2306 Snow Blower Belt | | | • | • | | | | | |
| CBOO2 Snow Blower Cover | | | • | • | • | • | | | |
| CB003 2-Stage Snow Blower Cover | | | | | | | • | • | |
| CBOO4 2-Stage Snow Blower Cover | | | | | | | • | • | • |



ACCESSORIES

MULTI-HEAD ACCESSORIES

BMH1000

Multi-Head System Carrying Bag



AUGER ACCESSORIES

AB08001

8" Ice Auger Bit Blade



ABE2000

20" Auger Bit Extension



AET0400

4" Earth Auger Bit



AET0600

6" Earth Auger Bit



AET0800

8" Earth Auger Bit



AET1000

10" Earth Auger Bit



AIT0800

8" Ice Auger Bit



CLEANING ACCESSORIES

AFC3200

Premium Brass Foam Cannon



ANK2100

2100 PSI Pressure Washer Nozzle



ANK3200

3200 PSI Pressure Washer Nozzle



ANZ3200

O° Nozzle for Pressure Washer



AVF0900

Replacement Filter for Wet/Dry Vacuum



AVG0905

Dust Bags (5-Pack) for Wet/Dry Vacuum



AVH0907

1-7/8" x 7' Replacement Vacuum Hose



LIFESTYLE ACCESSORIES

CFN001

18" Misting Fan Cover



SAFETY ACCESSORIES

GS001

Safety Glasses with Clear Lenses



GS002

Safety Glasses with Gray Lenses



GS003

Safety Glasses with Yellow Lenses



GV001M

Work Gloves (Medium)



GV001L

Work Gloves (Large)



GVOO1XL

Work Gloves (X-Large)



GVOO1XXL

Work Gloves (XX-Large)









2025 PRODUCT CATALOG







TABLE OF CONTENTS

| EGO Commercial PGX™ Charging | 84 |
|---|-----|
| EGO Commercial Mowers | 94 |
| EGO Commercial Blower | 96 |
| EGO Commercial String Trimmer | 100 |
| EGO Commercial Bike Handle Brush Cutter | 102 |
| EGO Commercial Edger | 104 |
| EGO Commercial Pole Hedge Trimmer | 106 |
| EGO Commercial Telescopic Pole Saw | 110 |
| EGO Commercial Chain Saw | 112 |
| EGO Commercial Multi-Head | 114 |
| EGO Commercial Battery Technology | 116 |
| EGO Commercial Accessories | 118 |
| EGO Commercial Power Manager | 120 |












PGX™ COMMERCIAL CHARGING SYSTEM



PGX™ **1600W HUB**

Mounts in a building, van, or trailer, and runs off any standard 15A circuit



PGX™ **3-PORT DOCK**

Simultaneously charges up to three EGO 56V ARC Lithium™ batteries







PGX™ **POWER BANK**

Charges 30+ Ah of portable batteries during the day





IT STARTS WITH THE POWER HUB

- ONLY ONE POWER HUB NEEDED
- CONNECTS TO PGX™ COMMERCIAL CHARGING 3-PORT DOCKS
- MOUNTS IN A BUILDING, VAN, OR TRAILER
- RUNS OFF OF A SINGLE 15A CIRCUIT



PGX1600H

PGX™ COMMERCIAL CHARGING 1600W HUB







CHARGE UP TO 70 BATTERIES (15kWh) OVERNIGHT

- 3-PORT DOCK CHARGES 3 BATTERIES SIMULTANEOUSLY
- CONNECT UP TO 24 DOCKS TO ONE PGX™ HUB
- DOCKS CHARGE IN SERIES



PGX3000D

PGX™ COMMERCIAL CHARGING 3-PORT DOCK



CHARGE 3 BATTERIES SIMULTANEOUSLY

STEEL-REINFORCED THROUGH-HOLE SCREW MOUNTING



7x MOUNTING HOLE LOCATIONS

| POWER REQUIREMENT | PGX™ HUB (15A CIRCUIT) |
|----------------------|---------------------------|
| EXPANDABLE | Yes |
| DIMENSIONS | 23.5" x 6.75" x 11.5" |





CHARGE DURING THE DAY

- CHARGES 30+ Ah OF EGO POWER+ PORTABLE BATTERIES DURING THE DAY
- WORKS SEAMLESSLY WITH THE POWER HUB
- LARGE FORMAT BATTERIES CAN BE SWAPPED FOR MORE CAPACITY





PGX3100K

PGX™ COMMERCIAL POWER BANK KIT

KIT INCLUDES: POWER BANK 2.2kWh (40Ah) HIGH-CAPACITY BATTERY (2) 7.5Ah BATTERIES PGX™ CABLE

POWER STATUS LED & BATTERY CHARGE STATUS LED







STACK UP TO 2 UNITS

ROBUST ROLL CAGE **DESIGNED FOR** MAXIMUM DURABILITY

EXPANDABLE

CONNECT MORE
PGX™ SYSTEM UNITS
TOGETHER TO CHARGE MORE BATTERIES

INTEGRATED FOLDING HANDLE



| HC2240T | |
|------------------------------|--|
| VOLTAGE | 56V |
| ENERGY | 2.2kWh (40Ah) |
| AC RECHARGE REQUIREMENT | PGX™ HUB (15A CIRCUIT) |
| CHARGE TIME | 120 MINUTES (40Ah HIGH CAPACITY) |
| CONNECTIVITY | BLUETOOTH |
| WEIGHT | 39 LBS |
| DIMENSIONS | 13.3" x 6.8" x 12.7" |
| WEATHER RESISTANCE RATING | IPX4 |

| PGX3100K | |
|------------------------------|--|
| AC RECHARGE REQUIREMENT | PGX™ HUB (15A CIRCUIT) |
| CHARGE TIME (AC) | 120 MINUTES (40Ah HIGH CAPACITY) |
| CHARGE TIME (DC) | 75 MINUTES with two 12.0Ah 60 MINUTES with two 10.0Ah 50 MINUTES with two 8.0Ah 45 MINUTES with two 7.5Ah 35 MINUTES with two 6.0Ah 30 MINUTES with two 5.0Ah 25 MINUTES with two 4.0Ah 30 MINUTES with two 4.0Ah 30 MINUTES |
| DC CHARGING SPEED | 2x 700W |
| EXPANDABLE | YES |
| CONNECTIVITY | BLUETOOTH |
| WEIGHT | 38 LBS |
| DIMENSIONS | 20.25" x 16.5" x 16" |
| WEATHER RESISTANCE RATING | IPX4 |



INDUSTRY'S MOST POWERFUL CORDLESS WALK-BEHIND MOWER



Compared to 22" and below deck size commercial walk behinds

LMX5300SP

COMMERCIAL 22" ALUMINUM DECK SELF-PROPELLED LAWN MOWER



| GAS EQUIVALENT | 230CC RATING |
|---|-------------------|
| TORQUE | 14.8 FT-LBS |
| MAX POWER | 4000W |
| RATED POWER | 1600W |
| RUNTIME with two 12.0Ah batteries | UP TO 120 MINUTES |
| RECHARGE TIME with two 12.0Ah batteries using PGX™ Power Bank | 75 MINUTES |
| BATTERY WATTS | 8960 |
| SELF-PROPELLED | YES |

| CUTTING SYSTEM | COMMERCIAL SINGLE BLADE |
|------------------------------|----------------------------|
| CUTTING HEIGHTS | 8 |
| DECK SIZE | 22" |
| MAX BLADE TIP SPEED | 18,000 FPM |
| DECK MATERIAL | ALUMINUM |
| BATTERY TECHNOLOGY | 56V ARC LITHIUM™ |
| WEIGHT bare tool | 99.2 LBS |
| WEATHER RESISTANCE RATING | IPX5 |



LBPX1100





DUAL GRAB HANDLES

OPTIMIZED AIRFLOW EFFICIENCY FOR EXTENDED RUNTIME



COMBINES THE POWER OF TWO OR MORE EGO ARC LITHIUM™ BATTERIES

| GAS EQUIVALENT | 65CC RATING |
|---|--|
| CLEARING CAPACITY | 1100 CFM |
| AIR SPEED with nozzle | 190 MPH |
| PUSH FORCE | 36N |
| MAX POWER | 2700W |
| RUNTIME with two 12.0Ah batteries | UP TO: 240 MINS ON LOW 36 MINS ON HIGH 30 MINS ON TURBO |
| DECIBEL RATING measured at 50 feet per ANSI standards | 65db(A) |
| BATTERY TECHNOLOGY | 56V ARC LITHIUM™ with PEAK POWER™ |
| HOUSING | UV-RESISTANT COMPOSITE |
| WEIGHT bare tool | 21.2 LBS |
| WEATHER RESISTANCE RATING | IPX5 |
| | |





WEATHER

RESISTANCE RATING

IPX5

Additional SKU Configurations:

LBPX8000 Batteries and charger not included. IoT not included.

LBPX8004-2 Includes (2) 6.0Ah batteries and 280W Dual Port charger. IoT not included.

LBPX8006-2 Includes (2) 10.0Ah batteries and 280W Dual Port charger. IoT not included.


LBX1000


COMMERCIAL 1000CFM HANDHELD BLOWER











COMMERCIAL




EDX2000

COMMERCIAL 8" STRAIGHT SHAFT EDGER



EDX2000-C

COMMERCIAL 8" CURVED SHAFT EDGER






| | EDX2000 | EDX2000-C | |
|--------------------------------------|------------------------|-----------------------|--|
| GAS EQUIVALENT | 25CC RATING | | |
| MAX POWER | 1600W | 2300W | |
| RATED POWER | 1200W | 1600W | |
| RUNTIME with 5.0Ah battery on low | UP TO 60 | MINUTES | |
| BLADE SIZE | 8 | JII | |
| MAX CUTTING DEPTH | 3" | | |
| ARBOR SIZE | 1 INCH | | |
| SPEEDS no load RPM | 3000/4000/4500 RPM | 4000/5500/7000 RPM | |
| SHAFT MATERIAL | CARBON FIBER | ALUMINUM | |
| SHAFT STYLE | STRAIGHT | CURVED | |
| DRIVE SHAFT | SOLID STEEL | FLEXIBLE | |
| BATTERY TECHNOLOGY | 56V ARC LITHIUM™ | | |
| HOUSING | UV-RESISTANT COMPOSITE | | |
| TOOL LENGTH | 69.5" 67.3" | | |
| WEIGHT bare tool | 10.4 LBS | | |
| WEATHER RESISTANCE RATING | IPX5 | | |









COMMERCIAL






HTX5300-P


COMMERCIAL 21" SHORT POLE HEDGE TRIMMER





| | HTX5300-PA | НТХ5310-Р | НТХ5300-Р | |
|--------------------------------------|--|--------------|-----------|--|
| GAS EQUIVALENT | 25CC RATING | | | |
| MAX POWER | | 1000W | | |
| RATED POWER | | 650W | | |
| RUNTIME with 2.5Ah battery on low | UP | TO 75 MINUTE | ES | |
| BLADE | 21-INCH DUAL-ACTION HARDENED STEEL | | | |
| CUTTING CAPACITY | 1.1" | | | |
| CUTTING POSITIONS | 45°, 30°, 15°, 0°, -15°, -30°, -45°, -60°, -75°, -90°, -180° | 0° | | |
| HEAD ROTATION | 180° ARTICULATING MAX RANGE | FIXED | | |
| SPEEDS | 3200/3600/4000 RPM | | | |
| SHAFT MATERIAL | CARBON FIBER | | | |
| GEARBOX | DIE CAST ALUMINUM/SERVICEABLE | | | |
| BATTERY TECHNOLOGY | 56V ARC LITHIUM™ | | | |
| HOUSING | UV-RESISTANT COMPOSITE | | | |
| SHAFT LENGTH | 59" 42" | | 20" | |
| OVERALL LENGTH | 98.2" 82.7" | | 59.1" | |
| WEIGHT bare tool | 11 LBS | 9.0 LBS | 9.2 LBS | |
| WEATHER RESISTANCE RATING | IPX5 | | | |









METAL BUCKING SPIKES

HIGH-PERFORMANCE BRUSHLESS MOTOR

Additional SKU Configurations: CSX5007 Includes 8.0Ah battery and 550W charger.

AUTO SAFETY BRAKE






| GAS EQUIVALENT | 60CC RATING 35.2CC RATING | | | |
|------------------------------------|---|---------|--|--|
| MAX CUTTING CAPACITY 4 x 4 wood | UP TO 275 CUTS with 8.0Ah battery UP TO 265 CU with 5.0Ah batter | | | |
| MAX POWER | 3500W 2500W | | | |
| RATED POWER | 2700W 1800W | | | |
| BAR LENGTH | 20" 12" | | | |
| CHAIN SPEED | 30 M/S 20 M/S | | | |
| CHAIN SPECS | .325 INCH PITCH .050 INCH GAUGE 78 DRIVE LINKS | | | |
| CHAIN ADJUSTMENT | MANUAL | | | |
| OILING | AUTOMATIC | | | |
| CHAIN KICK BACK BRAKE | YES | | | |
| AUTO SAFETY BRAKE | YES | NO | | |
| BUCKING SPIKES | METAL | | | |
| DIGITAL USER INTERFACE | YES | NO | | |
| LED WORK LIGHT | YES | NO | | |
| BATTERY TECHNOLOGY | 56V ARC LITHIUM™ | | | |
| HOUSING | UV-RESISTANT COMPOSITE | | | |
| WEIGHT bare tool | 13 LBS | 7.7 LBS | | |
| WEATHER RESISTANCE RATING | IPX5 | | | |

CSX5000

CSX3000

Additional SKU Configurations: **CSX3003** Includes 5.0Ah battery and 550W charger.





PHX1600

COMMERCIAL POWER HEAD



| GAS EQUIVALENT | 35CC RATING |
|---------------------------|------------------------|
| MAX POWER | 1600W |
| RATED POWER | 1200W |
| SPEED SETTINGS | 6000/6500/7000 RPM |
| SHAFT ROTATION | COUNTER-CLOCKWISE |
| SHAFT MATERIAL | CARBON FIBER |
| SHAFT THICKNESS | 2.0 MM |
| BATTERY TECHNOLOGY | 56V ARC LITHIUM™ |
| HOUSING | UV-RESISTANT COMPOSITE |
| WEIGHT bare tool | 9 LBS |
| WEATHER RESISTANCE RATING | IPX5 |





THE MOST ADVANCED TECHNOLOGY IN THE INDUSTRY


BETTER PERFORMANCE IS BUILT IN

No matter which EGO battery you choose, you'll get:

- · Protection from drops and the elements, thanks to our shock-resistant design
- Patented ARC Lithium design keeps the battery from overheating
- · Patented power management system to maximize power and runtime
- · An integrated fuel gauge that shows you how much power is left
- Two years with registration completed within 90 days from date of purchase. One-year warranty without registration



ALL VOLTS ARE NOT CREATED EQUAL



VOLTAGE FERFORMANCE

Performance of a battery is determined by a combination of ENERGY(Wh) and POWER(W)

> CAPACITY x VOLTAGE = ENERGY (Ah) (Wh) **VOLTAGE x CURRENT = POWER**

BA1400T

2.5Ah BATTERY 140Wh



BA4200T

7.5Ah BATTERY 420Wh



BA2242T

4.0Ah BATTERY 224Wh



BA4480T

8.0Ah BATTERY 448Wh



BA2800T

5.0Ah BATTERY 280Wh



BA5600T

10.0Ah BATTERY 560Wh



BA2800T-2

5.0Ah BATTERY 2-PACK 560Wh TOTAL



BA6720T

12.0Ah BATTERY 672Wh



BA3360T

6.0Ah BATTERY 336Wh



BA6720T-2

12.0Ah BATTERY 2-PACK 1,344Wh TOTAL







PGX™ CHARGING ACCESSORIES

ACE0700

PGX™ 2-FOOT POWER CABLE

Compatible with PGX3000D & PGX1400PB



ACE1500

PGX™ 5-FOOT POWER CABLE

Compatible with PGX3000D & PGX1400PB



AEK1000

PGX™ E-TRACK MOUNTING KIT

Compatible with PGX1600H & PGX3000D



MOWER ACCESSORIES

22" High-Lift Commercial Blade



STRING TRIMMER ACCESSORIES

AD4510

TRIMMER GUARD

Compatible with STX4500 & BCX4500



AH3800

MANUAL LOAD BUMP HEAD

Compatible with STX3800, STX4500, BCX3800 & BCX4500



AH3810

RAPID RELOAD TRIMMER HEAD

Compatible with STX3800, STX4500, BCX3800 & BCX4500



AL2403

PREMIUM CRIMPED TRIMMER LINE

0.095" x 800' / 3 lbs.



AL2405

PREMIUM CRIMPED TRIMMER LINE

0.095" x 1400' / 5 lbs.



AL2420PB

PREMIUM PRE-CUT TWISTED TRIMMER LINE

0.095" x 14' / 5 pre-cut coils



STRING TRIMMER ACCESSORIES continued

HIGH-PERFORMANCE TWISTED TRIMMER LINE

0.095" x 125'



AL2470B

PREMIUM TWISTED TRIMMER LINE

0.095" x 230'



AL2703

PREMIUM CRIMPED TRIMMER LINE

0.105" x 690' / 3 lbs.



AS3800

REPLACEMENT TRIMMER SPOOL

Compatible with STX3800, STX4500, BCX3800 & BCX4500



BRUSH CUTTER ACCESSORIES

ABB1203

3-TOOL METAL BLADE

Compatible with STX3800, STX4500, BCX3800 & BCX4500



ABB1203-1

3-TOOL METAL BLADE COMBO KIT

Compatible with STX3800, STX4500, BCX3800 & BCX4500



AP4500D

DOUBLE SHOULDER BRUSH CUTTER HARNESS

Compatible with BCX4500



HEDGE TRIMMER ACCESSORIES

AHB5300P

21" HEDGE TRIMMER REPLACEMENT **BLADE SET**



Compatible with HTX5300-P & HTX5310-P

AHB5300PA

21" HEDGE TRIMMER REPLACEMENT **BLADE SET**

Compatible with HTX5300-PA



POLE SAW ACCESSORIES

AC1000Q

10" POLE SAW CHAIN

Compatible with PSX2510 & PSX2510-FC



AG10000

10" POLE SAW BAR

Compatible with PSX2510 & PSX2510-FC



EP1000

3.3 FOOT CARBON FIBER EXTENSION POLE

Compatible with PSX2510 & PSX2510-FC



CHAIN SAW ACCESSORIES

ABH3000

BATTERY HOLSTER

Compatible with CSX3000 & CSX3003



AC1200

12" CHAIN SAW CHAIN

.375" Pitch, .043" Gauge, 45 Drive Links Compatible with CSX3000 & CSX3003



AC1635

16" CHAIN SAW CHAIN

.325" Pitch, .050" Gauge, 66 Drive Links Compatible with CSX5000 & CSX5007



AC1835

18" CHAIN SAW CHAIN

.325" Pitch, .050" Gauge, 72 Drive Links Compatible with CSX5000 & CSX5007



AC2035

20" CHAIN SAW CHAIN

.325" Pitch, .050" Gauge, 78 Drive Links Compatible with CSX5000 & CSX5007



AG1200

12" CHAIN SAW GUIDE BAR

Compatible with CSX3000 & CSX3003



AK1635

16" CHAIN SAW BAR AND CHAIN KIT

.325" Pitch, .050" Gauge, 66 Drive Links Compatible with CSX5000 & CSX5007



AK1835

18" CHAIN SAW BAR AND CHAIN KIT

.325" Pitch, .050" Gauge, 72 Drive Links Compatible with CSX5000 & CSX5007



CHAIN SAW ACCESSORIES continued

AK2035

20" CHAIN SAW BAR AND CHAIN KIT

.325" Pitch. .050" Gauge, 78 Drive Links Compatible with CSX5000 & CSX5007



SAW LUBRICANT

AOL1000

128 FL OZ PREMIUM BAR & CHAIN LUBRICANT

Premium, oil-free, biodegradable. Water soluble for easy clean-up



A0L3200

32 FL OZ PREMIUM BAR & CHAIN LUBRICANT

Premium, oil-free, biodegradable. Water soluble for easy clean-up



SAFETY

GS001

SAFETY GLASSES WITH CLEAR LENSES



GS002

SAFETY GLASSES WITH GRAY LENSES



GS003

SAFETY GLASSES WITH YELLOW LENSES



GV001M

WORK GLOVES

Size Medium, Synthetic Glove (Note: gloves run small)



GV001I

WORK GLOVES

Size Large, Synthetic Glove (Note: gloves run small)



GV001XL

WORK GLOVES

Size X-Large, Synthetic Glove (Note: gloves run small)



GV001XXL

WORK GLOVES

Size XX-Large, Synthetic Glove (Note: gloves run small)





POWER MANAGER LAUNCH NOW LIVE!

NOTHING ELSE LIKE THIS EXISTS TODAY

- ONLINE PLANNING TOOL REMOVES THE **GUESS WORK**
- UNDERSTAND TRANSITION COST
- SELF-SERVICE FOR **USERS**
- SALES TOOL FOR **DEALERS**



egocommercial.com/pages/power-manager

egocommercial.com/pages/power-manager-guide SEND ALL QUESTIONS TO POWERMANAGER@EGOCOMMERCIAL.COM

| NOTES | |
|-------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

NOTES

| NOTES | |
|-------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



| Your local d | ealer: | | | |
|--------------|--------|--|--|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |

egopowerplus.com





